

Contents

Acknowledgments — V

Preface — VII

Maarten van der Zee

1 Methods for evaluating the biodegradability of environmentally degradable polymers — 1

1.1	Introduction — 1
1.2	Background — 1
1.3	Defining ‘Biodegradability’ — 2
1.4	Mechanisms of polymer degradation — 4
1.4.1	Nonbiological degradation of polymers — 4
1.4.2	Biological degradation of polymers — 4
1.5	Measuring the biodegradation of polymers — 6
1.5.1	Enzyme assays — 7
1.5.1.1	Principle — 7
1.5.1.2	Applications — 7
1.5.1.3	Drawbacks — 8
1.5.2	Plate tests — 8
1.5.2.1	Principle — 8
1.5.2.2	Applications — 8
1.5.2.3	Drawbacks — 9
1.5.3	Respiration tests — 9
1.5.3.1	Principle — 9
1.5.3.2	Applications — 9
1.5.3.3	Suitability — 10
1.5.4	Gas (CO_2 or CH_4) evolution tests — 10
1.5.4.1	Principle — 10
1.5.4.2	Applications — 11
1.5.4.3	Suitability — 11
1.5.5	Radioactively labelled polymers — 12
1.5.5.1	Principle and applications — 12
1.5.5.2	Drawbacks — 12
1.5.6	Laboratory-scale simulated accelerating environments — 13
1.5.6.1	Principle — 13
1.5.6.2	Applications — 13
1.5.6.3	Drawbacks — 14
1.5.7	Natural environments, field trials — 14
1.6	Conclusions — 14
	References — 15

Rolf-Joachim Müller

2	Biodegradation behaviour of polymers in liquid environments — 23
2.1	Introduction — 23
2.2	Degradation in real liquid environments — 24
2.2.1	Degradation in freshwater and marine environment — 25
2.2.1.1	Polyhydroxyalkanoates — 25
2.2.1.2	Synthetic polyesters — 26
2.3	Degradation in laboratory tests simulating real aquatic environments — 27
2.3.1	Aerobic liquid environments — 27
2.3.2	Anaerobic liquid environments — 30
2.4	Degradation in laboratory tests with optimised and defined liquid media — 34
2.5	Standard tests for biodegradable polymers using liquid media — 36
2.6	Summary — 41
	References — 41

Fernanda Farachi, Giulia Bettas Ardisson and Francesco Degli Innocenti

3	Environmental fate and ecotoxicity assessment of biodegradable polymers — 45
3.1	Introduction — 45
3.2	End of life scenarios of biodegradable polymers — 46
3.2.1	Biodegradation end products — 46
3.2.2	Biodegradation during organic recycling — 48
3.2.2.1	Industrial composting — 48
3.2.2.2	Home composting — 49
3.2.2.3	Anaerobic digestion — 49
3.2.3	Biodegradation in soil — 50
3.2.3.1	Soil texture and structure — 50
3.2.3.2	Water content — 50
3.2.3.3	Organic matter — 50
3.2.3.4	pH — 51
3.2.3.5	Temperature — 51
3.2.3.6	Oxygen — 51
3.2.3.7	Sunlight — 51
3.3	Investigation into polymer biodegradation — 51
3.3.1	Standard on industrial composting — 52
3.3.2	Identification of the intermediates of polymer biodegradation — 55
3.4	Environmental fate of biodegradation intermediates — 58
3.4.1	Physico-chemical properties and behaviour of intermediates — 59
3.4.1.1	Ready biodegradability — 59
3.4.1.2	Bioconcentration factor — 63

3.4.2	Ecotoxicological assessment based on the environmental behaviour of the intermediates — 64
3.5	Ecotoxicological assessment of biodegradation intermediates — 64
3.5.1	Aquatic toxicity — 65
3.5.1.1	Bacteria — 66
3.5.1.2	Algae — 66
3.5.1.3	Crustacea — 66
3.5.1.4	Fish — 67
3.5.2	Terrestrial toxicity — 67
3.5.2.1	Bacteria — 68
3.5.2.2	Invertebrates — 68
3.5.2.3	Plants — 68
3.5.2.4	Vertebrates — 68
3.6	Discussion and conclusions — 68
	References — 71

Ines Fritz

4	Ecotoxicological aspects of the biodegradation process of polymers — 75
4.1	Preface — 75
4.2	The need for ecotoxicity analysis of biodegradable materials — 76
4.3	Standards and regulations for testing biodegradable polymers — 76
4.4	Detection of the influences on an ecosystem caused by the biodegradation of polymers — 78
4.4.1	Potential influences of polymers after composting — 80
4.4.2	Potential influences of polymers during and after biodegradation in soil and sediment — 81
4.5	A short introduction to ecotoxicology — 83
4.5.1	Dose-response relationships — 83
4.5.2	Investigation level of ecotoxicity tests — 84
4.5.3	Length of the exposure period — 85
4.5.4	End-points — 85
4.5.5	The difference between toxicity tests and bioassays — 85
4.5.6	Ecotoxicity profile analysis — 86
4.6	Recommendations and standard procedures for biotests — 86
4.6.1	Bioassays with higher plant species — 87
4.6.2	Bioassays with earthworms (<i>Eisenia foetida</i>) — 91
4.6.3	Preparation of elutriates for aquatic ecotoxicity tests — 91
4.6.4	Bioassays with algae — 92
4.6.5	Bioassays with luminescent bacteria — 94
4.6.6	Bioassays with daphnia — 95
4.6.7	Biotests with higher aquatic plants — 95

4.7	Evaluation of bioassay results obtained from samples of complex composition — 96
4.7.1	Testing of solid samples — 96
4.7.2	Testing of sediments — 97
4.8	Special prerequisites to be considered when applying bioassays for biodegradable polymers — 97
4.8.1	Nutrients in the sample — 98
4.8.2	Biodegradation intermediates — 99
4.8.3	Diversity of the microbial population — 100
4.8.4	Humic substances — 101
4.9	Evaluation of test results and limits of bioassays — 103
4.10	Research results for ecotoxicity testing of biodegradable polymers — 103
4.10.1	The relationship between chemical structure, biodegradation pathways and the formation of potentially ecotoxic metabolites — 104
4.10.2	Ecotoxicity of polymers — 104
4.10.3	Ecotoxic effects appearing after degradation in compost or after anaerobic digestion — 105
4.10.4	Ecotoxic effects appearing during degradation in soil — 106
4.11	Conclusion — 107
4.11.1	Consequences of test schemes for investigations on biodegradable polymers — 109
4.11.2	Materials intended for organic recovery — 109
4.11.3	Materials intended for applications in the environment — 109
4.11.4	Final statement — 110
	References — 111

Bruno De Wilde

5	International and national norms on biodegradability and certification procedures — 115
5.1	Introduction — 115
5.2	Organisations for standardisation — 117
5.3	Norms on biodegradation test methods — 119
5.3.1	Introduction — 119
5.3.2	Aquatic, aerobic biodegradation Tests — 120
5.3.2.1	Based on carbon conversion ('Sturm' Test) — 120
5.3.2.2	Based on oxygen consumption ('MITI' Test) — 121
5.3.2.3	Other — 122
5.3.3	Compost biodegradation tests — 122
5.3.3.1	Controlled composting test — 122
5.3.3.2	Mineral bed composting test — 123
5.3.3.3	Other compost biodegradation tests — 124

5.3.4	Soil biodegradation tests — 125
5.3.5	Aquatic, anaerobic biodegradation tests — 126
5.3.6	High solids, anaerobic biodegradation tests — 127
5.3.6.1	Landfill simulation tests — 127
5.3.7	Marine biodegradation tests — 127
5.3.8	Other biodegradation tests — 128
5.4	Norms on disintegration test methods — 129
5.4.1	Introduction — 129
5.4.2	Compost disintegration tests — 129
5.4.3	Disintegration in water — 130
5.4.4	Disintegration in other environments — 131
5.5	Norms on specifications for degradability — 131
5.5.1	Introduction — 131
5.5.2	(Industrial) Compostability — 132
5.5.3	(Home) Compostability — 134
5.5.4	Soil biodegradability — 135
5.5.5	Aquatic biodegradability — 136
5.5.6	Marine biodegradability — 136
5.5.7	Anaerobic digestion — 136
5.5.8	Oxo-degradation — 137
5.6	Certification — 137
5.6.1	Introduction — 137
5.6.2	(Industrial) Compostability certification systems — 138
5.6.2.1	Seedling — 138
5.6.2.2	OK compost — 139
5.6.2.3	Biodegradable Products Institute Logo — 140
5.6.2.4	Cedar Grove logo — 140
5.6.2.5	GreenPla certification system — 141
5.6.2.6	The Australasian seedling logo and certification system — 141
5.6.2.7	Other certification and logo systems — 141
5.6.3	(Home) Compostability certification systems — 142
5.6.3.1	OK Compost home — 142
5.6.3.2	Other systems for home compostability — 143
5.6.4	Other biodegradability certification systems — 144
	References — 144

Catia Bastioli and Franco Bettarini

6	General characteristics, processability, industrial applications and market evolution of biodegradable polymers — 147
6.1	General characteristics — 147
6.1.1	Polymer biodegradation mechanisms — 148
6.1.2	Polymer molecular size, structure and chemical composition — 149

6.1.3	Biodegradable polymer classes — 150
6.1.4	Natural biodegradable polymers — 150
6.1.4.1	Starch — 150
6.1.4.2	Polyhydroxyalkanoates — 152
6.1.5	Synthetic biodegradable polymers — 154
6.1.5.1	Polylactic acid and polyglycolic acid — 155
6.1.5.2	Poly(ϵ -caprolactone) — 157
6.1.5.3	Diol-Diacid aliphatic polyesters — 157
6.1.5.4	Aliphatic/Aromatic copolyesters — 159
6.1.5.5	Polyvinyl alcohol — 161
6.1.6	Modified, natural biodegradable polymers — 162
6.2	Processability — 164
6.2.1	Extrusion — 165
6.2.2	Film blowing and casting — 166
6.2.3	Moulding — 167
6.2.4	Fibre spinning — 168
6.3	Industrial applications — 168
6.3.1	Compost bags — 169
6.3.2	Carrier bags — 171
6.3.3	Mulch films — 173
6.3.4	Other applications — 173
6.4	Market evolution — 174
6.5	Conclusions — 177
	References — 178

Kumar Sudesh, Yoshiharu Doi, Paolo Magistrali and Sebastià Gestí Garcia

7	Polyhydroxyalkanoates — 183
7.1	Introduction — 183
7.2	Production of polyhydroxyalkanoates — 184
7.3	The various types of polyhydroxyalkanoates — 185
7.3.1	Poly(R-3-hydroxybutyrate) — 185
7.3.2	Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) — 187
7.3.3	Poly(3-hydroxybutyrate-co-4-hydroxybutyrate) — 189
7.3.4	Polyhydroxyalkanoates containing medium-chain-length monomers — 190
7.3.5	Uncommon constituents of polyhydroxyalkanoates — 194
7.4	Mechanisms of polyhydroxyalkanoate biosynthesis — 194
7.4.1	Conditions that promote the biosynthesis and accumulation of polyhydroxyalkanoates in microorganisms — 194
7.4.2	Carbon sources for the production of polyhydroxyalkanoates — 195
7.4.3	Biochemical pathways involved in the metabolism of polyhydroxyalkanoates — 197

7.4.4	The key enzyme of the biosynthesis of polyhydroxyalkanoates, polyhydroxyalkanoate synthase — 200
7.5	Genetically modified systems and other methods for the production of polyhydroxyalkanoates — 201
7.5.1	Recombinant escherichia coli — 201
7.5.2	Transgenic plants — 202
7.5.3	In vitro production of polyhydroxyalkanoates — 203
7.6	Biodegradation of polyhydroxyalkanoates — 203
7.7	Applications of polyhydroxyalkanoates — 204
7.7.1	Biomedical applications — 205
7.7.2	Industrial applications — 206
7.7.3	Agricultural applications — 207
7.8	Conclusions and outlook — 207
	Acknowledgements — 208
	References — 208

Catia Bastioli, Paolo Magistrali and Sebastià Gestí Garcia

8	Starch-based technology — 217
8.1	Introduction — 217
8.2	Starch — 218
8.3	Starch-filled plastics — 221
8.4	Structural starch modifications — 222
8.4.1	Starch gelatinisation and retrogradation — 222
8.4.2	Starch Jet-cooking — 225
8.4.3	Starch extrusion cooking — 225
8.4.4	Starch destructurisation in the absence of synthetic polymers — 226
8.4.5	Starch destructurisation in the presence of synthetic polymers — 228
8.4.5.1	Ethylene-acrylic acid copolymer — 229
8.4.5.2	Ethylene-vinyl alcohol copolymers — 230
8.4.5.3	Polyvinyl alcohol — 231
8.4.5.4	Aliphatic polyesters — 231
8.4.5.5	Aliphatic-aromatic polyesters — 232
8.4.5.6	Other polymers — 232
8.4.6	Additional information on starch complexation — 233
8.5	Starch-based materials on the market — 237
8.6	Conclusions — 238
	References — 239

Michel Vert

9	Lactic acid-based degradable polymers — 245
9.1	Introduction — 245
9.2	Main structural characteristics of lactic acid stereocopolymers — 247

9.3	Synthesis of lactic acid-based polymers — 249
9.4	Main material properties — 251
9.5	Degradation of lactic acid-based polymers — 252
9.6	Lactic acid-based copolymers — 255
9.7	Interest in the biomedical field — 256
9.8	Interest as degradable polymers in the environment — 256
9.9	Interest as polymers from renewable resources — 257
9.10	Conclusion — 257
	References — 258

Paolo Magistrali, Sebastià Gestí Garcia and Tiziana Milizia

10	Biodegradable Polyesters — 261
10.1	Introduction — 261
10.2	Biodegradable aliphatic polyesters — 262
10.2.1	Biodegradable aliphatic polyesters with a hydroxyacid repetitive unit — 262
10.2.1.1	Poly(ϵ -caprolactone) — 262
10.2.1.2	Polyhydroxyalkanoates — 263
10.2.1.3	Polylactic acid — 264
10.2.1.4	Polyglycolic acid — 265
10.2.1.5	Long chain polyhydroxyacid — 266
10.2.2	Biodegradable aliphatic polyesters with a diol/dicarboxylic acid repetitive unit — 266
10.2.3	Aliphatic polyesters biodegradation — 268
10.2.4	Properties of biodegradable aliphatic polyesters — 269
10.3	Biodegradable aliphatic-aromatic copolymers — 270
10.3.1	Ecoflex — 273
10.3.1.1	Producer/Patents: BASF AG, Germany — 273
10.3.2	Origo-Bi — 274
10.3.2.1	Producer/Patents: Novamont — 274
10.3.3	Biocosafe 2003F — 274
10.3.3.1	Producer: Zhejiang Hangzhou Xinfu Pharmaceutical Co. Ltd — 274
10.3.4	S-EnPol — 274
10.3.4.1	Producer: Samsung Fine Chemicals — 274
10.3.5	Properties of biodegradable aliphatic-aromatic copolymers — 275
10.3.6	Biodegradation of aliphatic-aromatic copolymers — 276
10.3.6.1	Polymer-related parameters determining biodegradation — 277
10.3.6.2	Degradation under composting conditions — 281
10.3.6.3	Degradation in soil — 283
10.3.6.4	Degradation in an aqueous environment — 285

10.3.6.5	Degradation under anaerobic conditions — 285
10.3.6.6	Fate of aromatic sequences and risk assessment — 286
10.4	Renewable monomers for biodegradable polyester synthesis — 291
	References — 293

Stéphane Guilbert and Bernard Cuq

11	Material formed from proteins — 299
11.1	Introduction — 299
11.2	Structure of material proteins — 301
11.3	Protein-based materials — 306
11.4	Formation of protein-based materials — 311
11.4.1	The solvent process — 312
11.4.2	The thermoplastic process — 315
11.5	Properties of protein-based materials — 322
11.6	Applications — 329
	References — 330

David Kaplan, Maria Dani, Antonio Verdoliva and Piero Bellofiore

12	Enzyme catalysis in the synthesis of biodegradable polymers — 339
12.1	Introduction — 339
12.2	Polyester synthesis — 340
12.2.1	Polycondensation of hydroxyacids and esters — 340
12.2.2	Polymerisation of dicarboxylic acids or their activated derivatives with glycols — 343
12.2.3	Ring-opening polymerisation of carbonates and other cyclic monomers — 352
12.2.4	Ring-opening polymerisation and copolymerisation of lactones — 358
12.3	Oxidative polymerisation of phenol and derivatives of phenol — 369
12.4	Enzymatic polymerisation of polysaccharides — 380
12.5	Conclusions — 384
	References — 385

Maurizio Fieschi and Ugo Pretato

13	Environmental life cycle of biodegradable plastics — 393
13.1	Introduction to life cycle thinking and assessment — 393
13.2	Bioplastics and life cycle assessment — 397
13.2.1	Biodegradability and compostability — 398
13.2.2	Renewable origin — 401
13.2.3	Optimisation potential — 405
13.3	Conclusions — 405
	References — 407

Enzo Favino

- 14 The use of biodegradable polymers for the optimisation of models for the source separation and composting of organic waste — 409**
- 14.1 Introduction — 409
14.1.1 The development of composting and schemes for the source separation of biowaste in Europe: A matter of quality — 410
14.2 Main drivers for composting in the European Union — 410
14.2.1 Directive 99/31/EC on landfills — 411
14.2.2 The waste framework directive (Directive 2008/98/EC) — 411
14.2.3 Other regulatory and political drivers — 412
14.3 The source separation of organic waste: Schemes and results in the south of Europe — 412
14.4 ‘Biowaste’, ‘Vegetable, Garden and Fruit’, and ‘Food Waste’: Relevance of a definition on the performance of the waste management system — 415
14.5 The importance of biobags — 417
14.5.1 Features of ‘Biobags’: The importance of biodegradability and its cost-efficiency — 418
14.6 Cost assessment of optimised schemes — 419
14.6.1 Tools to optimise the schemes and their suitability in different situations — 422
14.6.1.1 Collection frequency for residual waste — 422
14.6.1.2 Diversifying the fleet of collection vehicles — 423
14.7 Conclusions — 424
References — 425

Christian Garaffa and Francesco Degli Innocenti

- 15 Collection of biowaste with biodegradable and compostable plastic bags and treatment in anaerobic digestion facilities: Advantages and options for optimisation — 427**
- 15.1 Introduction — 427
15.2 Current European policies regarding biowaste, renewable energy, emission reduction and resource management — 428
15.3 The role of compostable plastic bags in biowaste source separation schemes — 430
15.4 Compostable plastics in anaerobic digestion: Standards and performance — 431
15.5 Anaerobic digestion facilities treating biowaste: Technologies, pretreatment options and management of compostable plastic bags — 433
15.5.1 Combined anaerobic and aerobic *versus* anaerobic only processes: Pros and cons — 433

15.5.2	Dry and wet technologies — 434
15.5.3	Different anaerobic digestion technologies and fate of compostable plastic bags — 435
15.6	Case studies of anaerobic digestion facilities managing biowaste in compostable plastic bags — 437
15.6.1	Case study 1: Wet codigestion with a hydropulper: Compostable bags can switch from disposal (Route 3) to material recovery (Route 2) — 437
15.6.2	Case study 2: Wet digestion with screw press/mash separation: Compostable bags skipping digestion and going directly to material recovery (Route 2) — 443
15.6.3	Case study 3: Dry plug flow digestion: Compostable bags going partly to digestion (Route 1) and partly to material recovery (Route 2) — 445
15.6.4	Case study 4: Dry batch digestion: Compostable bags going to digestion followed by material recovery (Route 1) — 448
15.7	Conclusions — 450
	References — 452

Ramani Narayan

16	Principles, drivers, and analysis of biodegradable and biobased plastics — 455
16.1	Introduction — 455
16.2	Understanding biodegradability – biodegradable compostable plastics — 456
16.3	Measuring and reporting biodegradability — 457
16.4	International standards for biodegradability — 460
16.5	Misleading claims of biodegradability — 461
16.6	Environmental and health consequences — 462
16.7	US Federal Trade Commission Green Guides — 463
16.7.1	Degradable and biodegradable claims — 463
16.7.2	Compostable claims — 464
16.7.3	Renewable materials, biobased materials and biobased content — 465
16.8	Biobased plastics – carbon footprint reductions using plant/ biomass carbon and value proposition — 465
16.8.1	Illustrating zero material carbon footprint using basic stoichiometric calculations — 467
16.8.2	Measuring biobased carbon content — 468
16.8.3	Calculating and reporting biobased carbon contents — 469
16.9	Example of bio polyethylene terephthalate — 470

16.10	Summary — 471
	References — 472

Thomas Hirth and Rainer Busch

17 Biorefineries for renewable monomers — 475

17.1	Introduction — 475
17.2	Biorefinery concepts — 475
17.2.1	Starch and sugar biorefineries — 478
17.2.2	Oilseed biorefineries — 478
17.2.3	Green biorefinery — 479
17.2.4	Lignocellulose biorefinery — 479
17.2.5	Aquatic biorefinery — 481
17.3	Monomers based on renewable raw materials — 482
17.4	Summary and outlook — 489
	References — 489

Alessandra Perrazzelli

18 Research and development funding with the focus on biodegradable products — 491

18.1	Introduction — 491
18.2	Policy initiatives and plans in the field of biopolymers and their applications — 492
18.2.1	The Lead Market Initiative — 492
18.2.2	Key Enabling Technologies — 493
18.2.3	The Innovation Union — 496
18.2.4	The Bioeconomy Strategy — 496
18.3	European Union-funded research on biopolymers and their applications — 497
18.3.1	Why the need for European Union-funded research? — 497
18.3.2	The Framework Programmes — 498
18.3.3	Specific programmes with focus on biopolymers and their applications — 499
18.4	The seventh Framework Programme — 507
18.5	Funded projects: Biopolymers and their applications — 509
18.6	The Eco-innovation initiative — 510
18.7	Horizon 2020 — 512
18.8	Conclusions — 512
	References — 513

Abbreviations — 517

Index — 523