

Contents

Preface — V

Part I: Fundamentals and methods

Roberto Palma, José L. Pérez-Aparicio, and Pedro Museros

Finite element modeling of energy harvesters: application to vibrational devices — 3

- 1 Introduction — 3
- 2 Active materials — 5
- 3 Continuum physics — 9
 - 3.1 Outline of continuum mechanics — 10
 - 3.2 Outline of continuum electrodynamics — 13
 - 3.3 Outline of thermodynamics — 16
 - 3.4 Summary of governing equations — 18
- 4 Finite element method — 20
 - 4.1 Outline of the finite element method — 20
 - 4.2 Finite element modeling of active materials — 22
- 5 Application: Energy production in high-speed railway bridges — 24
 - 5.1 Overview of high-speed railway bridges — 24
 - 5.2 Numerical modeling of harvesters — 30
- 6 Concluding remarks — 33

Christian Viehweger

Solar energy harvesting for wireless sensor systems — 37

- 1 Introduction — 37
- 2 Assessment of the incoming energy — 38
- 3 Maximum power point tracking — 40
 - 3.1 The most common methods — 41
- 4 Conclusion — 44

Zdenek Hadas and Jan Smilek

Efficiency of vibration energy harvesting systems — 45

- 1 Introduction — 45
- 2 Vibration energy harvesting systems — 46
 - 2.1 Mechanical resonators of vibration energy harvesting systems — 47
 - 2.2 Complex model of a vibrating structure with an energy harvesting system — 48
 - 2.3 Efficiency of vibration energy harvesting systems — 49

3	Model of an electromagnetic energy transducer —	50
4	Efficiency analysis based on vibration energy harvesting simulation —	51
4.1	Mechanical model of the vibration energy harvesting system —	51
4.2	Equivalent RLC circuits of the vibration energy harvesting system —	53
5	Analyses and simulation results of equivalent RLC circuits —	54
5.1	Mechanical and electrical parameters for analyses —	54
5.2	Analyses of efficiency and output power for mechanical parameters —	55
5.3	Analyses of efficiency and output power for coupling parameters —	58
6	Comparing the performance of vibration energy harvesters —	59
7	Conclusions —	61

Martin Götz

Energy management concepts for wireless sensor nodes — 65

1	Introduction —	65
2	Energy harvesting from ambient power sources —	67
3	Wireless power transfer —	68
4	Energy storage —	70
5	Loads —	70
6	Energy management approaches —	71
6.1	Active and passive energy management —	71
6.2	Microcontroller-based energy management —	72
6.3	Multi-level energy management —	72
7	Extraction power management strategies —	73
7.1	Maximum power point —	73
7.2	Maximum power point tracking —	74
7.3	Maximum energy extraction —	75
7.4	Hybrid harvesting —	78
7.5	Non-linear energy management —	80
8	Core system energy management strategies —	80
8.1	Energy storage management —	80
8.2	Multi-storage management —	86
8.3	Voltage supervision —	89
8.4	System optimization —	91
9	Wireless energy management strategies —	92
9.1	Wireless communication/energy conservation in link and network layers —	92
9.2	Energy aware routing, multi-hop deployments and clustering —	94
10	Conclusion —	95

Part II: **Vibration converters and hybridization**

Slim Naifar, Sonia Bradai, Slim Choura, and Olfa Kanoun

Magnetolectric vibration energy harvesting — 103

- 1 Introduction — **103**
- 2 Magnetolectric composites — **104**
 - 2.1 Magnetolectric effect — **104**
 - 2.2 Magnetolectric materials — **105**
 - 2.3 Magnetolectric laminate composites — **106**
- 3 Overview of magnetolectric energy harvesters — **106**
 - 3.1 Rectangular magnets — **107**
 - 3.2 Hollow magnets — **108**
- 4 Finite element model of magnetolectricity — **110**
 - 4.1 Modeling of magnetostriction — **110**
 - 4.2 Modeling of adhesively bonded joints — **111**
 - 4.3 Simulation model — **111**
- 5 Results and discussion — **112**
- 6 Conclusion — **112**

Carlo Trigona, Sonia Bradai, Slim Naifar, Olfa Kanoun, and Salvatore Baglio

Nonlinear electromagnetic vibration converter with bistable RMSHI for power harvesting from ambient vibration — 117

- 1 Introduction — **117**
- 2 The proposed nonlinear vibration converter — **118**
 - 2.1 Principle — **118**
 - 2.2 Experimental setup — **119**
- 3 Results — **120**
- 4 Conclusion — **123**

Krystian Łygas, Piotr Wolszczak, Paweł Stączek, and Grzegorz Litak

Energy harvesting from an oscillating vertical piezoelectric cantilever with clearance — 125

- 1 Introduction — **125**
- 2 Methods and experimental setup — **126**
- 3 Results on power output — **128**
- 4 Solution identification — **128**
- 5 Frequency sweep: Evolution of the solution — **131**
- 6 Conclusions — **134**

Sonia Bradai, Slim Naifar, Riadh Elleuch, and Olfa Kanoun

On hybridization of electromagnetic vibration converters — 137

- 1 Introduction — 137
- 2 Hybrid converters — 138
 - 2.1 Electromagnetic-piezoelectric vibration converter — 138
 - 2.2 Electromagnetic-magnetolectric vibration converter — 142
 - 2.3 Electromagnetic-magnetostrictive vibration converter — 143
 - 2.4 Comparison of hybrid systems — 144
- 3 Hybrid magnetolectric-electromagnetic converters — 146
 - 3.1 Design of an EM/ME vibration converter — 147
 - 3.2 Effect of combined EM-ME on the energy outcome — 147
- 4 Conclusion — 150

Andrzej Rysak, Marek Borowiec, Arkadiusz Syta, and Grzegorz Litak

Hybrid vibrational energy harvesting using piezoelectric and magnetostrictive transducers — 153

- 1 Introduction — 153
- 2 Experimental setup and measurement results — 154
- 3 Conclusions — 157

Part III: Wireless energy transfer

Elena Boshkovska, Nikola Zlatanov, Xiaoming Chen, Derrick Wing Kwan Ng, and Robert Schober

Beamforming design for secure SWIPT systems under a non-linear energy harvesting model — 161

- 1 Introduction — 161
- 2 Channel model — 164
 - 2.1 Nonlinear energy harvesting model — 165
 - 2.2 Achievable secrecy rate — 167
- 3 Problem formulation and solution — 168
- 4 Results — 171
- 5 Conclusions — 174
- 6 Appendix — 174
 - 6.1 Proof of proposition 1 — 174
 - 6.2 Proof of theorem 1 — 175

Issam Chaour, Ahmed Fakhfakh, and Olfa Kanoun

Radio frequency power transfer for wireless sensors in indoor applications — 181

- 1 Introduction — 181
- 2 RF to DC conversion and storage — 182
- 3 Reflection coefficient and matching circuit — 185

- 4 RF-DC rectifier circuits for RF power transfer — **186**
- 4.1 Schottky diode — **186**
- 4.2 Topologies for RF to DC rectifiers — **188**
- 4.3 RF to DC rectifier based on a diode-connected CMOS transistor — **192**
- 5 Conclusion — **194**

Mohammad Haerinia

Modeling and simulation of inductive-based wireless power transmission systems — 197

- 1 Introduction — **197**
- 2 Fundamental principles of the inductive coupling approach — **198**
- 3 Modeling and simulation of inductive power transfer (IPT) systems — **200**
- 3.1 Resonant inductive coupling as a potential means for WPT to printed spiral coils — **200**
- 3.2 Investigation of the receiving pot core effect on the magnetic flux density in inductive coupling-based wireless power transfer — **206**
- 3.3 Electromagnetic analysis of different geometries of transmitting coils for wireless power transmission applications — **211**
- 4 Conclusion — **217**

Bilel Kallel, Ghada Bouattour, Olfa Kanoun, and Hamed Trabelsi

Wireless power transmission via a multi-coil inductive system — 221

- 1 Introduction — **221**
- 2 Effect of vertical and lateral distances on Inductive Power Transfer (IPT) systems — **222**
- 3 Classification of the multi-coil inductive systems — **223**
- 4 Examples of the use of multi-coil inductive systems — **224**
- 4.1 Three-coil systems — **224**
- 4.2 Four-coil systems — **225**
- 4.3 Multi-coil systems — **226**
- 5 Modeling of multi-coil inductive systems — **227**
- 5.1 Basic laws — **227**
- 5.2 Analytical modeling — **229**
- 5.3 Analytical expression for equivalent inductance L_{eq} — **229**
- 5.4 Analytic expression for equivalent mutual inductance M_{eq} — **230**
- 5.5 Analytical expression for induced voltage and current — **231**
- 6 Optimization of multi-coil inductive systems — **231**
- 6.1 Received power optimization — **231**
- 6.2 Topology optimization — **233**
- 6.3 Detection of the receiver — **234**
- 7 Conclusion — **234**

Ghada Bouattour, Bilel Kallel, Olfa Kanoun, and Houda Derbel

Energy management for inductive power transmission — 237

- 1 Introduction — 237
- 2 Coil shape and orientation — 239
 - 2.1 Coil shape — 239
 - 2.2 Coil orientation — 239
- 3 Energy management at the sending side — 240
 - 3.1 DC/AC inverters — 240
 - 3.2 Resonance topologies — 243
- 4 Energy management on the receiving side — 246
 - 4.1 Rectification stage — 246
 - 4.2 DC to DC converter — 248
 - 4.3 Charge storage — 249
- 5 Control system on inductive power transmission systems — 251
- 6 Conclusion — 252

Part IV: Energy saving and management strategies

Rym Chéour, Mohamed Wassim Jmal, Olfa Kanoun, and Mohamed Abid

Towards energy-efficient power management for wireless sensors networks — 257

- 1 Introduction — 257
- 2 Energy saving techniques in wireless sensor networks — 259
- 3 HEEPS: Hybrid energy-efficient power manager scheduling — 261
- 4 Performance evaluation — 264
- 5 Conclusion — 266

Steffi Knorn and Daniel E. Quevedo

Optimal energy allocation in energy harvesting and sharing wireless sensor networks — 269

- 1 Introduction — 269
- 2 Modeling — 270
 - 2.1 Energy harvesting model — 271
 - 2.2 Energy sharing model — 272
 - 2.3 Battery model — 273
 - 2.4 Channel gain model — 274
- 3 Application: Multi-sensor estimation network with energy harvesting and energy sharing — 275
 - 3.1 Source model and sensor measurements — 275
 - 3.2 Energy harvester, energy sharing and battery dynamics — 276
 - 3.3 Transmission model — 276

3.4	Distortion measure at the FC —	277
3.5	Dynamic energy control —	277
4	Optimization techniques —	278
4.1	Finite time horizon optimization —	278
4.2	Infinite time horizon optimization —	279
4.3	Suboptimal solutions —	280
5	Simulation study —	281
5.1	Varying energy transfer efficiency —	282
5.2	Varying battery capacity —	284
6	Conclusions —	285

Sabrine Khriji, Dhouha El Houssaini, Ines Kammoun, and Olfa Kanoun

Energy-efficient techniques in wireless sensor networks — 287

1	Introduction —	287
2	Energy consumption in wireless sensors networks —	289
3	Energy supply sources in wireless sensors network —	291
4	Energy conservation in wireless sensors networks —	292
4.1	Data driven approaches —	293
4.2	Duty cycling —	295
5	Energy-efficient routing —	298
5.1	Flat routing —	298
5.2	Hierarchical routing —	299
5.3	Mobility-based energy conservation schemes —	301
6	Conclusion —	301

Sadok Bdiri, Faouzi Derbel, and Olfa Kanoun

A wake-up receiver for online energy harvesting enabled wireless sensor networks — 305

1	Introduction —	305
2	System implementation —	306
2.1	Envelope detector —	307
2.2	Baseband amplifier —	309
2.3	BBamp controller —	309
2.4	The decoder —	310
2.5	Wireless module —	311
3	System evaluation —	313
3.1	Measurements —	313
4	Comparison with the literature —	317
5	Conclusion —	319

Part V: System design and applications

Dhouha El Houssaini, Sabrine Khriji, Kamel Besbes, and Olfa Kanoun

Wireless sensor networks in agricultural applications — 323

- 1 Introduction — **323**
- 2 Applications of wireless sensor networks — **324**
- 3 Wireless sensor network deployment scenarios — **325**
- 3.1 Terrestrial wireless sensor networks — **326**
- 3.2 Underground wireless sensor networks — **326**
- 4 Wireless technologies and standards — **327**
- 5 Wireless sensor platforms for agricultural applications — **329**
- 6 Taxonomy of agricultural monitoring applications — **329**
- 6.1 Soil preparation system — **330**
- 6.2 Crop yield system — **331**
- 6.3 Livestock monitoring — **331**
- 6.4 Greenhouse monitoring — **332**
- 6.5 Horticulture monitoring — **333**
- 6.6 Forest monitoring — **333**
- 7 Application-specific sensors in agriculture — **333**
- 7.1 Soil analysis — **334**
- 7.2 Detection and classification of crops, weeds and fruits — **334**
- 7.3 Weather and climate-related sensors — **335**
- 8 Solutions for irrigation systems based on WAN in the measurement and sensor technology laboratory — **335**
- 8.1 The nodes developed — **337**
- 8.2 Mote deployment and network architecture — **338**
- 8.3 Software application — **339**
- 9 Conclusion — **340**

Paul Cahill and Vikram Pakrashi

Piezoelectric energy harvesting for monitoring of rail bridge infrastructure — 343

- 1 Introduction — **343**
- 2 Piezoelectric energy harvesting — **345**
- 2.1 Piezoelectric cantilever energy harvester — **346**
- 2.2 Piezoelectric patch energy harvester — **346**
- 3 Bridge–vehicle interaction model — **347**
- 3.1 Modeling of bridge and train loadings — **347**
- 3.2 Attributes of an international train fleet — **348**
- 3.3 Train-induced vibrations in the bridge model — **349**

- 4 Energy output from a bridge structure using a cantilever harvester — **350**
- 4.1 Properties of the cantilever energy harvester — **350**
- 4.2 Energy harvesting output from the cantilever energy harvester — **352**
- 5 Energy harvesting from a bridge structure using a patch energy harvester — **354**
- 5.1 Properties of the patch energy harvester — **354**
- 5.2 Energy harvesting output from the patch energy harvester — **354**
- 6 Conclusions — **357**

Feng Yang and Lin Du

Hybrid energy harvesting methodologies for energizing sensors towards power grid applications — 359

- 1 Introduction — **359**
- 2 Energy profiles and methodologies — **360**
- 2.1 Overview — **360**
- 2.2 Magnetic energy harvesting — **360**
- 2.3 Thermoelectric energy harvesting — **363**
- 2.4 Vibrational energy harvesting — **364**
- 2.5 Hybrid energy management system — **364**
- 3 Envisioned prototype — **366**
- 4 Conclusions — **367**

Xinming Zhao, Thomas Keutel, and Olfa Kanoun

Energy harvesting for a wireless monitoring system of overhead high-voltage power lines — 369

- 1 Introduction — **369**
- 2 Theoretical consideration and simulation — **371**
- 2.1 Theoretical analysis — **371**
- 2.2 Analytical simulation — **372**
- 2.3 Finite element simulation — **375**
- 3 Experiment in the high-voltage laboratory — **376**
- 3.1 Measurement in the high-voltage laboratory using the test harvester and test power module — **376**
- 3.2 Measurement in the high-voltage laboratory using the prototype of harvester housing and power module — **378**
- 4 Performance test in the field test — **380**
- 4.1 Test strategy for the field test — **380**
- 4.2 Field test results — **381**
- 5 Conclusion — **382**

