

Index

- Alouatta fusca* 269-270, 273, 283, 286-287
- abandoned pastures 226, 227, 228, 229, 236, 237
- abundance XV, 4, 10, 26, 28, 43, 47-48, 51, 53, 60, 76, 79-81, 88, 92, 94, 100, 152-153, 161, 164-165, 170, 190, 196-199, 205-206, 210-212, 215-217, 219, 221, 226, 229-230, 233-235, 237-239, 241, 243-244, 247-252, 254, 257, 270, 293, 323, 326
- Acanthochelys radiolata* 151, 153, 160
- Acanthochelys spixii* 152, 154, 157-160
- adaptation 2, 4, 8, 12-13, 22, 32, 37, 70, 180, 188, 202, 204, 222, 257, 269, 320
- adaptive management 137, 139, 146
- adaptive process 255
- agricultural XIV, XV, XX, 2-16, 18, 20-26, 28-34, 36-42, 52, 56-58, 60, 62, 75-76, 84-85, 87-89, 97-100, 112-117, 119, 121-129, 133, 136-139, 141-143, 146, 151-153, 157-158, 165, 167, 169-170, 174-175, 178-179, 181-182, 184, 189-191, 193, 196-197, 199-207, 217, 219-220, 222-223, 226, 237, 240-241, 243-249, 251-252, 254-257, 259, 269, 303, 317-318, 320, 325-326
- agricultural adjustment 30, 38, 40
- agricultural ecosystems 153, 157
- agricultural intensification 4-5, 12, 31, 207, 256
- agricultural landscape 3-4, 9, 16, 22-25, 58, 87, 89, 97-98, 100, 175, 181, 201, 206, 243-244, 247-249, 252, 254, 320
- agricultural matrices 138
- agricultural practices 3-4, 6, 24, 127
- agricultural region 113, 116, 122, 126, 128, 133, 223
- agricultural revolution 112
- agricultural systems 97, 99, 112, 114-115, 117, 119, 121, 123, 125, 199, 226, 318
- agricultural use 31, 40, 88, 136
- agriculture XIV, XV, XVII, XVIII, XX, 2, 4, 6, 8, 10-12, 14, 17-19, 21, 23, 25, 27-29, 31-32, 37-39, 41-42, 60, 83, 85, 100, 102, 112-116, 118, 122, 127-128, 131-134, 147, 149, 151, 157, 169, 172, 174, 185, 190-191, 193, 196-197, 200, 202-204, 218-219, 240, 244, 256-257, 303, 319, 321, 324
- agrochemicals 2, 28, 227, 246
- agroecosystem XIV, 2-6, 9-10, 22, 26, 44-45, 51-52, 54-55, 67, 86, 112, 113, 126, 182, 187, 190-191, 196, 200, 203, 204, 206-207, 227, 241, 243, 245, 252
- alqueive 127
- altered vegetation 269
- AMOVA 129
- amphibians 226
- annual 17, 26, 33, 36, 52, 57-59, 61-62, 90, 116, 119-122, 147-148, 154, 182, 197, 203-204, 220, 239, 244, 277, 291, 321, 326
- ANOSIM 211, 214-215
- anthropic landscape 44
- anthropically 90, 152
- anthropogenic 7-9, 11-12, 14, 51, 63, 87, 98, 151-152, 158-159, 168-170, 175, 178-181, 189, 206-207, 241, 245
- anthropogenic environments 7-9, 12, 98, 178-179, 241
- anthropogenic pollution 168
- APP 22, 24, 31, 89, 209, 227, 237-238, 255
- aquatic ecosystems 165, 167-168, 176
- Arca farm 89
- area planted 113, 115, 122, 124, 132
- arrested succession 138
- arrowroot 128
- assembly 53-54, 61, 86, 92
- Atlantic Forest 2, 9-10, 12, 27, 38, 41-42, 49, 56-63, 100-101, 122, 134, 136-139, 141-142, 145-149, 151, 153-154, 157, 161, 186, 197, 205, 222, 243, 255, 269, 284, 288, 304, 319-321
- Atlantic Forest Restoration Pact 145
- Atlantic Plateau 151-152
- bananas 113, 124
- best practices 144
- biennial 116
- bioaccumulate 165
- biodiversity XIV, XV, XVII, XXI, 4-6, 8-12, 14-16, 18-19, 22-24, 26, 43-46, 53-58, 60-63, 65-67, 72, 76-77, 82, 86-89, 91, 98-102, 112, 136-143, 146-151, 157-161, 163-167, 170-171, 175-176, 190-191, 193, 198-202, 204, 221-222, 226-228, 237, 239-240, 244, 252, 255-256, 297-298, 303, 317, 319, 321, 323-324

- biodiversity conservation XV, XXI, 14, 16, 19, 22-24, 26, 45, 54, 87-89, 98-101, 136-137, 139, 143, 146, 148-149, 161, 240, 252, 297
 biodiversity loss 136
 Biodiversity Research Program 91, 228
 biodiversity threshold 136
 biodiversity-friendly crops 137
 biogeography 4, 9-10, 63, 68, 75, 84, 102, 126, 158-159, 187, 200, 202, 205, 298, 321, 323-324, 326
 bioindicators 53, 56, 85, 163, 167, 170, 176
 biological fluxes 141
 biological legacy 98
 biostatistics 83
 bird 56, 58, 60, 100, 203, 241, 243-244, 246-248, 251-252, 254-256, 288, 319, 323-324
 bottleneck 132
Brachiaria 114, 117, 124
 Bray-Curtis method 92
 Brazil XIV, XV, XVI, XVII, XVIII, XIX, XX, XXI, XXII, XXIII, 2-16, 19, 23, 25-26, 28, 30-31, 33, 37-38, 41-42, 57-62, 88-89, 95, 99-102, 112-114, 116, 119-120, 125, 127-128, 130-135, 143-144, 147-149, 151, 153-164, 166-167, 171-179, 181-191, 193-194, 196-201, 203-204, 206-208, 221-222, 226-228, 231-234, 236, 239-241, 243-245, 248-249, 251, 253, 255-257, 259, 269, 273, 277-279, 282, 287-291, 293, 298-299, 301-304, 316, 319, 321-326
 Brazilian Atlantic Forest 136
 Brazilian Forest Act 145

 caboclos 128, 134
 caíças 128
 Cantareira 269-270, 274-275, 277-279, 282, 290-291
 capacity-building 144
 capybara 9, 11, 59, 178-179, 181, 184, 186-189
 carbon 6, 10, 39, 45, 50, 57-58, 60, 62, 73, 79, 82-85, 88, 96, 322
 carrying capacity 6, 180, 238
 cashew 118, 127
 cassavas 127
 catchments 11, 206, 209, 214-215, 218-220, 256
 cattle 2, 8, 11, 21, 32, 52, 59, 138, 163, 186, 188, 206, 244, 254, 301
 Central-West 116, 118-120, 124-125, 127, 132
 cerrado 17, 37, 57-58, 61, 90, 94-98, 100-101, 103, 151-154, 158-159, 186, 228, 237-241, 245, 252, 304, 324
 citrus 114, 124-125
 cocoa 31, 89, 113, 118
 coffee 31, 37, 113, 118, 125, 132, 197-198, 201, 203, 207, 245, 274, 302, 318, 324
 commodity 118, 172, 191, 302-303, 318
 common beans 118, 128
 community 15, 23-24, 38, 50, 61, 70-72, 81-86, 92, 95-96, 126, 131, 138, 140-142, 144, 148, 164, 167, 171, 191, 201, 203, 205, 221, 240, 295, 298-299, 315-316, 320, 327
 community diversity 191
 community ecology 126, 171, 320
 competition 5, 11, 37, 88, 153-157, 164, 323
 complex socio-ecological system 144
 conflicts 23, 145, 178, 180-181, 183, 185
 connectivity 45, 47-48, 56, 58-62, 89, 136, 138, 143, 150, 155, 190, 198, 204, 221, 246, 297, 323, 326
 conservation XIV, XV, XVI, XVII, XIX, XXI, XXII, 4, 6, 9-16, 18-19, 22-27, 30-31, 33, 39-43, 45, 49-51, 54-63, 67, 73, 83, 87-89, 98-102, 132-133, 136-140, 143-150, 154-155, 157-162, 165, 174-176, 180, 185-189, 191, 198, 200-205, 207, 221-222, 226, 237-244, 252, 254-257, 287-289, 291, 293, 297, 299, 317-324, 326-327
 conservation agriculture 191, 200
 conservation areas 226, 237-238, 254-255
 conservation biology XVII, 10-11, 13, 25-26, 42, 49, 57-63, 146-149, 161-162, 180, 188-189, 202-205, 239-242, 256-257, 288, 319, 326
 conservation model 136
 conservation planning 138
 conservation programs 243-244
 control 6-7, 39, 51, 57, 141, 175, 180, 186, 190, 192-193, 201, 203-205, 207, 238, 246, 316
 correlation coefficient 94, 116, 125, 211
 Corumbataí 14-18, 20, 22-27, 206-211, 216-217, 219, 222, 256-257
 crop diversity 113, 125, 133
 crop species 112-119, 121, 123, 125-126, 128, 132
 crops 2-3, 6, 16, 24, 31-32, 37-38, 52, 88, 112-114, 118, 124, 126-127, 129, 132-133, 137, 181-182, 190-193, 197, 200-201, 226, 243, 245, 305
 cucumber 128
 cultivars 113-114, 126, 129, 134-135

- daily pattern 274
- damage 6, 9, 57, 88, 173, 178, 183-185, 187, 192-193, 197, 199
- deforestation 4, 9, 12, 15, 26-27, 31-32, 37-42, 52, 60, 88, 136, 143, 151, 174, 178-179, 186, 207-208, 227, 237, 269
- densities 44, 56, 112, 152, 173, 180, 186, 287
- Diatraea saccharalis* 196
- diet 50, 57-58, 112, 155-158, 175, 179, 181, 218, 221-222, 269-271, 273, 275, 277, 279, 281, 285-290, 314-316, 321, 325
- diet composition 112, 273
- direct seeding 142
- diseases 2, 5, 10, 12, 29, 52, 62, 168-169, 171, 173, 176, 188, 301
- dispersal 5, 12, 43, 45, 48-49, 51, 54, 57, 59-60, 63, 99, 102, 139, 142, 148, 153, 161, 196-197, 199, 203, 226-227, 272, 289, 300, 319
- dispersion 43, 55, 227, 244, 323
- divergent selection 192
- diversity XV, 4, 6, 8-10, 16, 22, 24-25, 32, 38, 40, 46, 48-54, 56-63, 66-67, 69-71, 75-79, 82-84, 86-89, 98-102, 112-115, 117-119, 121-125, 127-129, 131-136, 142-143, 146, 148-149, 151-152, 158, 163-166, 168-170, 186, 190-191, 193-194, 196, 199-203, 205-207, 210-212, 216-218, 221, 226-227, 229-230, 237-239, 241, 243-244, 247-248, 251-252, 255-257, 293, 298, 300-301, 312, 316, 318-320, 323-326
- diversity centers 113
- diversity index 51, 114, 247, 248
- domestic 6, 16, 32, 112, 153, 169, 246, 300
- domestication 112, 113, 114, 181
- dominant species 230, 236, 237
- drift 48-49, 129, 192-193, 229, 239
- drivers for restoration 142
- ecological connectivity 89
- ecological corridors 141, 198
- ecological niches 252
- ecological process 12, 164
- ecological resilience 143
- ecological restoration 137, 141
- ecological speciation 192
- ecological succession 51
- ecology XVI, XVII, XVIII, XIX, XX, XXI, XXII, XXIII, 2-3, 9-13, 15, 24-26, 41-42, 44-45, 49-51, 54-63, 70, 72, 75-77, 79, 81, 83-86, 100-102, 126, 133-134, 142-143, 146-150, 157-161, 163, 166-167, 171, 175-176, 185-189, 200-205, 220-222, 239-242, 256-257, 269-270, 272-273, 277, 288-291, 293-298, 319-327
- economic development path 30, 32, 33, 36
- ecosystem function 88
- ecosystem services 6, 14, 24, 30, 38-40, 45, 87-88, 100, 138, 141, 145-147, 190
- edge effect 48, 53, 138
- edge influence 47-48, 54, 58-60
- edge width 47
- EDR 116, 123-126, 132
- endemism 62, 151-152
- endophagous 192
- environment XXI, 9-12, 14, 16, 18-23, 25-27, 32, 41-42, 44, 46, 53-54, 56-57, 60, 74, 76-77, 79, 83-84, 86, 98, 100, 102, 112, 134, 141, 155, 158-161, 163-164, 167-169, 171-173, 176-177, 203-204, 234, 236-239, 247-248, 251-252, 256-257, 269-270, 287, 295-296
- environmental XXI, XXII, 4-5, 9, 11-12, 14-16, 18-20, 22-24, 26-29, 31, 39-42, 45-46, 48, 51, 58-62, 66-69, 71, 75-77, 79-85, 87, 89, 92, 94-96, 98, 102, 126, 131, 133, 136-138, 140, 142-143, 145-146, 148, 151, 155, 159, 163-165, 167-173, 176-177, 179, 181, 183, 189-190, 192, 201, 218, 220, 222-223, 226-228, 238, 240-241, 243-244, 255, 295, 297-299, 303, 316-318, 322, 325
- environmental conservation 14-16, 18-19, 22-24, 27, 40-41, 58, 255
- environmental contamination 4, 12
- environmental laws 227
- environmental multifunctionality 14, 19, 22-24
- Environmental Planning Program 143
- environmental security 4
- environmental-friendly management practices 5
- Espírito Santo 116, 118, 121-122, 126
- estimate of number of species 210
- Eucalyptus* XIV, 3, 5, 12, 88-91, 94-99, 114, 124, 133, 207, 226-230, 233, 236-238, 243-246, 248, 251, 254, 257-259, 272, 303-304, 316, 325
- eucalyptus forest 89
- Eucalyptus plantations XIV, 3, 5, 89, 91, 207, 226-230, 236-238, 244-246, 248, 251, 254, 258-259, 316
- evolutionary process 2, 6

- exotic pastures 243
 exotic species 14, 44, 47, 54, 139, 156, 167, 171, 218-219, 246
 expansion 2-4, 10, 13, 26, 28-31, 38-41, 87-88, 118, 124-126, 132, 156-158, 162, 166, 179, 186, 189, 196, 222, 226, 237, 296, 299, 302-303, 315, 324, 326
 extinction 2, 4, 6, 10, 43, 48, 51, 57, 59, 126, 136, 139, 141, 148, 155, 165, 169, 221, 237, 299-300, 322
 extinction rates 136
 extrapolation 210-213, 218, 221, 239, 255
 extrapolation method 218

 fallow 127
 family farm 16, 19, 23-24
 farm management 96, 98
 faunal homogenization 218
 feeding 30, 50, 54, 60, 100, 156-158, 161, 165, 173, 186, 188, 194, 196, 199, 201, 218-219, 221, 259, 269-274, 276-277, 283-291
 feeding selectivity 270, 273, 286
 fertilizers 2, 5, 97, 190, 246
 firebreak roads 48
 first axis 80, 94
 fish 6, 11, 18, 20, 163, 165-169, 171-177, 206-214, 216-223
 Fixed Score Method 247
 floristic diversity 142
 floristic homogenization 139
 flowers 270-271, 276-279, 281, 283, 285
 fluvial 207, 217
 folivory 270, 284, 286
 food crop 88
 food resources 50, 180, 191, 238, 271, 275, 285
 Forest Code 31, 40
 forest fragmentation 4, 57-58, 147-148, 287-288, 327
 forest fragments 15, 22, 56, 58, 62, 89, 137-139, 141, 144-146, 149, 151, 155, 197-198, 203, 208, 243, 245-246, 269-270, 287, 302, 324
 forest plantations 227
 forest recovery 29, 30, 33, 36, 38
 forest remnants 60, 63, 98-99, 136-139, 141, 143-146, 197, 206, 219-220, 321
 Forest Remnants Program 145
 forest restoration policy 144
 forest restoration supply chain 144
 forest transition 29, 38, 40, 138

 fragmentation XIV, XV, 4, 18, 43-46, 48-49, 52-54, 56-60, 62-63, 136, 138-139, 141, 147-150, 155, 190-191, 204-205, 221, 227, 241, 243, 245, 269, 287-289, 297-298, 319, 321-322, 324, 326-327
 fragmented landscape 190, 197
 freshwater 22, 28, 31, 38, 151-154, 156, 158-163, 165-167, 169, 172-174, 176-177, 219, 221-222
 freshwater turtle 152, 154, 156, 158-162
 frugivorous 191
 fruit-feeding 196
 functional divergence 51
 functional diversity 49-52, 57-58, 60-63, 67, 71
 functional evenness 51
 functional group 146, 148, 305, 307, 314
 functional richness 51

 garden vegetables 114
 gene flow 48-49, 55, 58, 63, 129, 161, 192-194, 201, 205, 226
 generalists 53-54, 87, 157, 197, 206, 270, 272-273, 315, 324
 genetic composition 112-113, 129, 200
 genetic diversity 46, 48, 66, 112, 131, 134-135, 142-143, 190-191, 194, 199-200, 205
 genetic drift 48-49, 192
 genetic structuring 193
 genetic variability 46, 48-49, 181, 193, 200
 genetic variation 46, 58, 113, 129, 131, 194, 298
 germplasm 112, 114, 129, 133
 global climate changes 137
 governance 8, 23
 gramivorous 254
 grasslands 47, 57, 113, 151, 178
 Green Belt 124
 green desert 98
 Green Economy Loan 145
 Green Revolution 28, 29, 33, 36
 groups XIV, XV, 44-45, 49-50, 53-54, 70, 76, 78-79, 84-85, 124, 127, 138, 141-142, 146, 165-167, 173-174, 179, 181-182, 190-193, 196, 198-199, 206, 210-211, 213-216, 218-219, 269, 273-274, 284, 293, 299-301, 307, 315

 H' 114, 115, 116, 117, 124, 128
 H'max 115
 H'rel 115, 116, 118, 124

- habitat XIV, XV, 4, 9-10, 12, 14, 25, 43, 45-46, 48-51, 54-58, 60-63, 98, 101-102, 112, 126-127, 136, 138-139, 141, 147, 149-151, 153-155, 161, 165, 170-171, 181-182, 186-187, 189-191, 196-198, 201-203, 207, 209, 217-223, 227, 239-241, 247-248, 252, 254-257, 259, 274, 286-289, 291, 293, 298, 312, 320-322, 325-326
- habitat fragmentation 48, 56-58, 60, 63, 147, 149, 155, 191, 227, 241, 286, 288, 321-322
- habitat loss 4, 43, 48-49, 60, 63, 98, 138, 150, 190, 241
- habitat quality 138
- headwater 206, 216-217, 221-222
- Heliothis virescens* 194
- helminths 165
- herbivore 57, 271
- herbivorous 190, 191, 192, 194
- herbivory 6, 49, 55, 101, 184, 203, 270, 272, 289, 324
- heterogeneity 6, 36, 39, 45, 53-55, 68, 76, 83-85, 98-99, 102, 113, 124-127, 189, 201, 215, 244, 254-255, 298
- heterogeneous landscapes 43-44, 50, 52, 76, 244
- highly-deforested landscapes 136
- highly-modified landscapes 137
- homogeneous land 99
- host races 192
- host strains 193
- host's tissues 165
- host-parasite relationship 164
- hotspots 151, 160, 164, 176, 256
- human disturbance of natural ecosystems 138
- human-modified landscapes 144
- hunting 7, 25, 44, 49, 58, 61-62, 112, 138, 151, 180, 189, 300-301, 320
- hybridization 129, 194, 205
- hybrids 113-114, 129, 194
- Hydromedusa maximiliani* 151-154, 159-161
- Hydromedusa tectifera* 154, 157-158, 160
- hyperabundant lianas 138
- hyperproliferation 53
- IBGE 33, 41, 116, 119-122, 134, 159
- impacts XV, 4-5, 10-11, 13, 19, 29, 31, 39, 41, 44-46, 51, 60, 89, 137-138, 161-163, 170, 173, 176, 189-190, 202-203, 206-207, 219-220, 226, 237, 295, 326-327
- impacts and degradation 138
- incidence curves 229, 232, 247, 249, 252
- inference tests 92
- inhibitory substances 270
- innovation 8, 133, 226
- intensification 4-5, 12, 31, 51, 58, 87-88, 102, 190, 207, 244, 256
- inter-specific competition 164
- interspecific diversity 127
- intraspecific genetic diversity 142
- intraspecific variation 129, 236
- introduction of species 45, 170
- introgression 129
- introgression 129
- invasive species 5, 10-11, 59, 151-152, 155, 159-160, 171, 220, 241
- island 126
- island iogeography 4, 10, 126, 298, 323-324
- island biogeography theory 4
- isozymes 129
- land sparing 40, 87, 100
- land use change (LUC) XIV, 3-4, 6, 9, 12, 14-17, 21, 24, 27-28, 31-32, 37-42, 48, 51, 58-59, 75, 77, 87-88, 90, 92, 94-98, 103, 138, 145, 151, 180, 182, 196-197, 200, 203, 207-209, 212, 217-220, 222-223, 237, 243, 245
- landrace 113, 127, 130-131, 133-135
- landscape 198
- landscape connectivity 138
- landscape context 56, 89, 256, 320
- landscape ecology 44, 49-50, 54-55, 57, 60-63, 75-76, 84, 86, 100-101, 143, 147, 222, 257, 294-298, 319, 322-324, 326-327
- landscape matrix 49, 151, 182, 203, 228, 245, 252, 254
- leaves 270-271, 273-274, 276-279, 281, 283-288
- legal reserves 22, 24, 31, 299
- Lepidoptera 190, 191, 199, 200
- livestock XIV, 2, 4, 7, 18, 22, 38, 193, 207, 226, 228, 237, 301-303
- livestock production 228, 237
- longitudinal homogenization 218
- long-term ecological research 228
- Loss Index 131
- loss of biodiversity XV, 87-88, 98, 170
- LUPA 116-117, 125-129, 134
- magnitude of edge influence 47-48
- main gradients 92-93
- maize 114-115, 118, 124, 128, 188, 203

- management XVII, XIX, 5-7, 10-12, 15, 18, 21-23, 25, 27, 29, 32, 42, 52, 56-57, 59-60, 67, 73-74, 76, 84-85, 87-89, 96, 98-101, 113, 134, 137-139, 141, 144-147, 149, 155, 165, 172-173, 175, 180, 182, 185, 187, 190, 192, 198-200, 203-205, 220, 222-223, 226, 237-238, 240-241, 244, 246, 254-256, 287, 293, 296-298, 311, 313, 316, 318-319, 323-327
- management actions 141
- management practices 226, 237, 238
- mangarito 128
- matrix 197
- mechanization 28, 33, 36, 37, 38, 39
- megadiverse 163
- Mesoclemmys vanderhaegei* 11, 152, 158, 160
- microbial ecology 70, 72, 77, 79, 84-85
- microclimate 47, 58, 61
- microevolutionary processes 129
- microsatellites 129, 134, 202
- migration 28, 37-38, 40, 43, 112, 126, 131, 194, 203, 205, 227, 254, 259
- Minas Gerais 27, 116, 118, 121-122, 126, 188, 197, 301
- mitochondrial DNA 194
- model XV, 21, 24, 60, 73, 82, 89, 95, 101, 136, 145, 190, 193-194, 196, 208-209, 227, 229, 243, 247, 294, 296, 298, 315, 317-319
- modified landscapes 50, 89, 146
- molecular markers 192
- monitoring XX, 6-8, 10, 67, 71, 167-168, 175-176, 183, 185, 200, 237, 239, 255, 295, 297-298, 323
- monitoring programs 8, 255
- monocultures 24, 88
- monophagous 192
- morphology 129, 203, 207, 217-218, 288, 322
- multifunctionality 14, 19, 22-24
- multivariate axes 92-93
- multivariate regression 92
- municipality 89, 113, 115-116, 122, 207-208, 219
- mutation 129
- native vegetation 31, 33, 38-39, 87, 89-91, 94, 96-98, 190, 226-230, 233-234, 236-238, 244-245, 248, 251-252, 254-255, 258, 298-299, 302-305, 307-308, 310-317
- natural forest management 139
- nectar-feeding 196
- Neotropics 52-53, 60, 87, 165, 176, 178, 187, 190, 196, 300
- non-tree species 142
- North 4, 116, 118-120, 125, 127, 130, 222, 269, 296, 299-300, 315, 319
- Northeast 116, 118-120, 125, 171, 323
- old-growth forest fragments 137
- oligophagous 192
- orange 115, 118, 125
- Oreochromis niloticus* 176, 218, 220
- PAM 116
- Pantanal 61, 178, 181, 186, 257, 324
- Parana River Basin 152
- parasites 112, 163-177, 286, 301
- Passa-Cinco river basin 221, 243-245, 251-252
- pasture 3-4, 22, 89-91, 94-98, 100, 103, 137-138, 152, 182, 193, 199, 206-207, 209-211, 213-217, 219, 221, 228, 230, 233, 236-238, 245, 248, 251, 254, 324
- pasture in regeneration 89-90, 94, 96, 98
- pastures 2, 24, 31, 52, 89, 99, 124, 137, 151, 190, 197-199, 208, 214, 219-220, 226-229, 236-237, 243-246, 248, 251-252, 254, 258-259, 302, 305, 319
- pathology 166, 169
- pattern of activity 270, 274-275
- payment for ecological services 145
- perennial 17, 116, 182, 197
- pest management 192
- phenols 276, 281, 283
- Phrynops geoffroanus* 9, 12, 151-152, 159-161
- pineapple 128
- pisciculture 166
- pitfall traps 226, 229
- planted area 116, 133
- planted forests 88-89, 100, 299, 302-303
- plant-herbivore interaction 272
- plants secondary compounds 192
- plots 81, 91-98, 103, 127-128, 305
- Poecilia reticulata* 188, 216, 219-220
- polluted rivers 9, 156
- polluted waters 152-153
- pollution 14-15, 18, 44, 138, 151, 159, 163, 165, 167-170, 174-176, 203, 209, 220
- polyphagous 192
- population XV, 2, 6, 8-9, 11, 16, 23, 28, 30-34, 36, 39-40, 42-43, 45-46, 48-49, 51-52, 57-58, 60-61, 63, 73, 87-88, 114-115, 127,

- 129, 132, 139, 152-161, 164-165, 170, 175,
180, 184, 186-188, 193-194, 196, 203-205,
210, 227, 242, 244, 254, 256, 286-287, 295,
302, 324-326
- population genetics 49, 114, 129, 193-194
- predation 7, 9, 49, 240, 319, 321
- predators 53-54, 57, 62, 152, 164, 171, 173, 178,
180, 237, 315-316
- primary forest 99
- Principal Component Analysis 92
- Principal Coordinate Analysis 92, 95
- private lands 145
- project quality 144
- public policy 3, 6, 178, 185
- quadratic entropy 51
- Quilombolas 128
- rare species 140
- Reduced Impact Logging 197
- Regional Development Offices 116
- regional endemic biodiversity 136
- regression 80, 92-93, 198, 307
- relative frequency 276
- resting 271, 276-277, 283-285
- restoration XVIII, 6, 26, 39, 54-56, 136-150, 185,
257
- restoration ecology 142
- rice 16, 31, 113-114, 118, 128, 133, 181, 193-194,
196, 201, 203
- richness XV, 2, 48, 51, 53, 58, 60-61, 80, 87,
96, 100, 114-118, 120, 122-126, 128-129,
132, 147-148, 160, 166, 168-170, 176, 190,
196-199, 203, 205, 210-212, 217-219, 226,
229-230, 232-235, 237-239, 241, 243-244,
247-249, 251-252, 255-257, 274, 298, 312,
316, 319-322, 327
- Rio de Janeiro 25-26, 41, 56, 100, 116, 118,
121-122, 126, 166, 175, 177, 221, 240, 256,
290, 320
- riparian 17, 22, 31, 60, 141, 143-144, 163,
206-207, 210, 214-221, 245, 299, 302, 310,
316-317, 319, 322, 324
- riparian zone 207
- river basin 12, 14-16, 18-20, 22-24, 26, 152,
160-161, 166, 175, 207, 221, 243-245,
251-252
- roadkill 46, 55, 186
- roças 114, 127-129, 131-132, 134
- roots 69, 73, 83, 91, 128, 272
- rural credit 31, 32, 33, 36, 39, 40
- rural labor 28, 29, 30, 32, 33, 36, 37, 38, 40
- S × A correlation coefficients 126
- sample 18, 50, 55, 68-69, 73, 84-85, 91, 114-115,
206, 210-219, 229, 276, 282, 305
- São Paulo XIV, XVI, XVII, XVIII, XIX, XX, XXI,
XXII, XXIII, 9-10, 12-16, 25-27, 38, 42,
59-60, 89-91, 95, 99, 101-102, 112-114,
116-118, 121-134, 137-138, 142, 145,
147-149, 151-160, 162, 166, 174, 176-177,
181, 183-185, 187, 189, 200, 207-208, 210,
220-222, 226-228, 230-234, 236, 240-241,
243-245, 251-253, 255-257, 269-270,
274-275, 290-291, 293, 298-305, 317-321,
323-326
- saplings translocation 142
- seasonal fruit 284
- seasonal resources 270-271, 284
- second axis 94-95
- secondary compounds 192, 272, 286, 289
- secondary forests 137
- seed 10, 48-49, 51, 59-60, 63, 99, 139, 141-144,
148, 209, 270, 272, 289, 319, 321
- seed bank 142
- seed dispersal 48-49, 51, 59-60, 63, 99, 139,
148, 272, 289, 319
- selection 2, 12, 26, 81-83, 85, 112, 129, 188,
192-193, 202, 204, 208-209, 288, 290-291,
318-319
- semideciduous forest 228, 237
- Shannon-Weaver index 114
- Shannon-Wiener index 115, 132, 133
- silvicultural landscape 226, 227
- silviculture system 98
- SIMPER 211, 215-216
- slash-and-burn 2, 127, 132
- small forest fragments 137
- small-holding agriculture 131
- social interactions 274, 276-277, 284
- social sciences XVI, XIX, 15, 24
- soil analyses 93
- soil fertility 2, 71, 92, 94-98, 101, 127
- soil fertilizers 97
- soil protection 142
- Sorensen index 92
- sorghum 114, 118, 193, 196
- source populations 89
- South XIV, 4, 33, 37-38, 42, 116, 118-120, 125,
127, 134, 157-158, 160-161, 166, 175-176,

- 178, 188, 194, 203, 208, 222, 239, 269,
290, 299-301, 315-316, 318, 321, 324
- Southeast 4, 59-60, 113, 115-116, 118-120, 125,
127-128, 222, 302, 322
- Southeastern Atlantic Basin 151
- soybeans 37, 113-114, 118, 127, 303
- soybeans 113, 114
- spatial configuration 48
- spatial heterogeneity 55, 76, 84, 98-99, 254
- spatial scale 4, 60, 75, 87, 223, 255, 307, 314
- spatial structure 44, 244, 256
- spatial-temporal heterogeneity 6, 244, 255
- speciation 192
- species XIV, XV, 2-8, 10-11, 14, 28, 38-39,
43-63, 70, 73, 75-77, 79-82, 87-92, 94-103,
112-129, 131-133, 136-142, 147-148, 151-161,
163-168, 170-176, 178-183, 185-189,
191-194, 196-207, 210-220, 222, 226-227,
229-230, 232-233, 235-241, 243-252,
254-257, 259, 269-276, 279, 281-288, 290,
292, 298, 300-302, 305-325, 327
- species composition 80, 92, 94-95, 97-98, 113,
196-197, 229-230, 233, 237, 243-244, 247,
251, 254
- species diversity 48, 98, 102, 112-115, 117-119,
121-123, 125, 129, 132, 152, 164, 170, 201,
244, 256, 318-319, 323
- species loss 243
- Species observed 206, 210
- species pool 99, 252
- species richness 48, 60-61, 80, 100, 114-118,
120, 122-126, 128-129, 132, 147, 160, 166,
168, 170, 176, 196-197, 203, 205, 211-212,
218-219, 226, 229-230, 232-233, 235,
237-239, 241, 243-244, 247-249, 252,
255-257, 298, 312, 316, 319-322, 327
- species richness 114, 115, 116, 118, 124, 125,
126, 128, 129, 196
- Spodoptera frugiperda* 193
- squash 128
- stakeholders 144
- standard deviation 36, 115, 233, 249
- State XIV, XVII, XVIII, XX, 2, 13-16, 18, 33-34,
37, 42, 59-60, 63, 73, 89, 99, 112-118,
122-124, 127-130, 132-134, 137-139, 142,
145, 147, 151-158, 161-162, 168, 174, 176,
181, 183-184, 187, 189, 197, 201, 207-208,
222, 226-228, 230-234, 236, 241, 243-245,
252-253, 256, 269, 274-275, 277-279,
282, 291, 293, 298-305, 317-318, 321-323,
325-326
- State Policy on climate changes 145
- stream 10, 152, 157, 159-160, 167, 206-223
- structural complexity 98-99, 245, 252
- subset of species 98
- subterranean organs 128
- succession 27, 51, 73, 98-99, 138, 142, 190
- sugarcane 2-4, 8, 10, 13, 18, 21-22, 26, 113,
114, 118, 124-125, 127-128, 132-133, 162,
181, 184, 189, 191, 195-198, 204, 206-211,
213-216, 218-219, 222, 226, 243-246, 248,
251, 254, 256, 258, 301-303, 326
- sugarcane plantations 124, 198, 208, 219,
243-246, 248, 251, 258, 301
- supply chain 144
- sustainable use 6-7, 9, 16, 72
- sweet potato 128-133, 135
- sweet potato 128, 129, 132, 133, 135
- swidden 114, 127-129, 131-134
- symbiosis 164
- taiá 128
- tangerine 125
- tannins 270, 272-273, 276, 281-283, 285-286
- taxonomy 68, 84, 134, 161, 166, 188, 204, 289
- temporal variation 227, 230
- temporary water bodies 238
- the “Mata Atlantica” Initiative 145
- the Forest Act 143
- theoretical fragmentation threshold 136
- third axis 94
- tick 183, 187
- tomato 128
- Trachemys dorbigni* 152, 157-159, 161
- Trachemys scripta elegans* 10, 158-161
- traditional logging 197
- tree 3, 9-10, 12, 53, 56-57, 62, 77-78, 87-91,
96-99, 101, 103, 124, 137, 139, 142-143,
148-149, 277, 302, 317
- tree-planting 142
- trophic relations 4, 6, 8
- urban areas 7, 17, 45, 54, 151-156, 180, 182, 188,
209, 244, 246
- urban-agroecosystem 44
- urbanization 29, 33, 39, 40
- variety 113, 114
- vegetation maps 96

- wastewater 165
- water eutrophication 5, 28
- water quality 142
- watermelon 128
- wildlife XVII, XIX, 4-7, 10-13, 26, 43-44, 50,
55-56, 63, 159, 162, 164, 172, 175, 180,
185-189, 226, 240, 293, 299, 302, 310,
317-318, 321-322, 325-326
- wildlife management 6-7, 180, 185, 187, 240,
326
- wildlife-friendly 87, 100, 226, 238, 254

- yams 127-129, 133

- α -diversity 4-5, 252
- β -diversity 4, 6, 139, 146, 238, 252, 323
- γ -diversity 4, 5