

# Index

$(k, m)$ -vertex 102  
 $(r, s)$ -tuple of points 88

## A

A-diagonal 59  
Alexander dual 13  
antichain 8, 11  
– of a lattice 12  
antipodes 31, 33  
atom of a lattice 7, 11, 65

## B

base of an independence system 11  
basis  
– linear 72  
– of a pyramid 60  
– positive 67–74  
– maximal 67, 68  
– minimal 67, 68, 73, 74  
– regular 73, 74  
– strict 68, 69, 74  
blocker 8–13, 65, 116, 117  
Boolean variable 9  
border 93  
bound, least upper 7  
boundary of a subset 26  
bridge in a graph 43

## C

cardinality of an alternative cover 126, 127  
chain of a graph 53  
class of a bipartite graph 10  
closure 25  
cluster 1, 2  
clutter 8  
coatom of a lattice 65  
coefficient, binomial 14  
coface 77, 78  
combination, convex 81  
committee 4, 5, 115, 125, 127–129  
complex  
– abstract simplicial 11, 13, 14, 20–23, 25, 26,  
30–34, 42, 94  
complexity, combinatorial 124  
component  
– of a point tuple 88  
– end 88

– even 88  
– odd 88  
cone 34  
– convex 67, 129  
– polyhedral 35  
– solution 4, 18, 34  
cover  
– alternative 126–130  
– finite 126  
– of a set, minimal 73, 74  
– of a topological space 23  
– vertex, of a hypergraph 8  
cube, unit 17, 93  
curve, moment 59  
cycle of a graph 43, 52, 53  
– of odd length 4, 5, 39, 41–43, 125

## D

decision rule 1, 3–5, 115  
degree of a vertex in the graph of MFSs 37, 40  
Dehn–Sommerville relations 83, 84, 86  
diagonal 58, 65, 77, 79  
– of a point tuple 79, 80, 88  
– of a polytope 81, 83, 88, 89  
diagram  
– Gale 78  
– of a positive basis 68  
diameter of a graph 42, 43  
dimension  
– combinatorial 121  
– of a complex 13, 14, 16  
– of a face of a complex 13, 14  
– topological 29

## E

edge  
– of the graph of an independence system 20  
– of the graph of MFSs 34  
element  
– greatest, of a lattice 7  
– least, of a lattice 7  
– maximal, of a poset 11, 17, 94  
– minimal, of a poset 11, 17, 94

## F

face  
– of a complex 11, 14, 20, 21, 25, 26

- of a cone 34, 35, 40
  - $r$ -dimensional 34
- of a point tuple 79
  - proper 88
- of a polytope 58, 59, 69, 78, 86, 88
  - proper 59
- of the power set 10
- face poset of a complex 11, 13
- facet
  - of a complex 11, 13, 20, 25–27, 31, 32, 34, 42, 94
  - of a point tuple 79, 80
  - of a polytope 68, 81, 83
- family
  - of subset pairs 22
  - Sperner 8, 11–13, 16
- F-diagonal 60
- filter, order 11, 12, 18, 32, 94
- form, minimal disjunctive normal 9
- F-polyhedron 127–130
- function
  - Boolean 17
    - monotone 17, 93, 95, 100, 110, 111
  - of logical algebra 9
  - rank, of a poset 11
  - real continuous 25
  - real polynomial 29
- functional, linear 30
- $f$ -vector of a complex 13

**G**

- Gale transform 77, 78
- G-diagonal 60, 61, 68, 70, 77, 78
- geodesic 42
- graph
  - 2-connected 52
  - bipartite 4, 10
  - connected 4, 20
  - of an independence system 20, 22, 29, 31, 33, 34, 42
    - 2-connected 45
    - connected 23, 26, 28–31, 45
    - oriented 20
  - of maximal feasible subsystems 4, 5, 20, 34, 35, 37, 39, 41–43, 45, 122–125
  - of MFSs 34
  - simple 10, 100

**H**

- half-space
  - closed 30
  - open 34, 68, 78
- hemisphere
  - closed 30
  - open 31
- homomorphism
  - of complexes 21
    - surjective 21
  - of graphs 21, 42
  - of the graphs of independence systems 21
- hull
  - convex 59, 68, 71, 79, 88
  - linear 67
  - positive 67
- hyperedge
  - of a hypergraph 8–10, 15, 32
  - of the hypergraph of an independence system 31
  - of the hypergraph of MFSs 53–55
- hypergraph 8, 9, 15, 16, 32
  - 2-regular 10
  - of an independence system 20, 31, 32
  - of maximal feasible subsystems 53–55, 126
  - $r$ -regular 10
- hyperplane 34, 68, 71, 72, 75, 78

**I**

- ideal, order 11, 13, 18, 65, 93
- incidence matrix 9, 129
- inclusion–exclusion principle 14, 15
- index

- of a constraint 7, 12
- of a subsystem 7

## inequality

- essential 75
- implied 39

## isomorphism

- combinatorial, of set families 65, 66
- of complexes 21
- of graphs 21

**K**

- Kronecker delta 14
- $k$ -vertex 101

**L**

- lattice
  - Boolean 7, 10–14, 18, 93

- face, of a polytope 65
- of subsets of a set 10
- learning
  - supervised 2–4
  - unsupervised 1

**M**

- map, simplicial, of complexes 21
- multi-committee 125, 126
  - minimal 125, 126
- multifamily of ordered subset pairs 23
- multi-index of a subsystem 4, 7, 12, 13, 17, 18, 34
  - feasible 4, 17, 20, 34, 39, 40, 116
    - maximal 4, 17, 18, 34–38, 40, 42, 53, 54, 75, 76, 79, 81–83, 116, 117, 120–126
  - infeasible 17
    - minimal 17, 18, 75, 76, 79, 81–83, 85, 86

**N**

- neighborhood of a vertex in a graph 35
- norm of a vector, Euclidean 18
- number
  - of transversality of a hypergraph 10
  - Whitney, of the second kind 14
- number of the vertex, inner 118

**O**

- operation
  - of cross 59
  - of intersection of subset pairs 22
- oracle 94

**P**

- part of a bipartite graph 10
- pattern recognition 1–5
- polygon 58
- polyhedron, unbounded 30
- polynomials, relatively prime 29
- polytope 59–61, 65, 66, 69, 70, 77, 78, 81
  - combinatorial type 65
  - cyclic 59, 61, 88, 89
  - diagonal combinatorial type 65
  - $k$ -neighborly 59, 88
  - simplicial 61, 66, 78, 83, 86, 88
- power set 10, 11, 14
- product
  - Cartesian 10
  - scalar 3, 18
- pyramid 60, 78, 81

**R**

- ray 68
- relation
  - binary 10
  - of partial ordering
    - on the family of subset pairs 22
    - on unit cube 17
- representation of a positive basis 71
  - simplicial 71–73
- representativity of sets 8, 13
- rooted tree 118, 120

**S**

- segment 34
- set
  - blocking 8
    - minimal 8
  - convex 75
  - independent, of an independence system 11
  - one-sided 68
  - partially ordered (poset) 10
  - transversal 8
    - minimal 8
    - of a hypergraph 10
- Shannon's criterion 94
- simplex 61, 65, 68, 71, 73, 78, 79, 81, 83, 88
- space
  - feature 1, 3, 4, 115
  - real Euclidean 33, 75, 115, 125
  - topological, connected 23, 26
- step
  - backward 118
  - forward 118
- sub-basis
  - of a positive basis 67, 68
    - minimal 67, 68
- subset
  - of a topological space 26
    - closed 23
    - connected 28
    - nowhere dense 26–28
  - of points on a sphere 30, 31
  - one-sided 69
    - maximal 67–69, 74
- subspace, linear 75
- subsystem
  - empty 7

- feasible 3, 4, 7, 12, 14, 15, 37, 42, 100
    - maximal 4, 12, 13, 15, 35, 38, 83, 88, 90, 110, 115, 129
  - infeasible 12, 14, 15
    - irreducible 12
    - minimal 12, 13, 15, 83, 115
  - of inequalities
    - feasible 4, 25, 26, 33, 35, 36, 38, 55, 87, 116
    - infeasible 4, 26, 78, 87
  - subtuple, connected 88
  - sum, direct, of subspaces 68
  - system
    - independence 11, 23
    - irreducible 12
    - of constraints 7
      - feasible 20
      - infeasible monotone 7, 12–16, 20, 25, 31, 100
    - of continuous functions 27, 28
    - of inequalities
      - feasible 25, 26
      - infeasible 3, 4, 26
    - of linear inequalities 17, 20, 110
      - combinatorially dual 85
      - infeasible 33, 75, 79–87, 90, 110, 115, 125
      - irreducible 75, 76, 79, 80
    - of representatives 8–12, 16, 36
      - distinct 10
      - minimal 8, 9, 12, 116–118, 120
      - minimal of the family 120
    - reducible 12
- T**
- training sample 2, 3, 5, 115
  - transversal 8
    - minimal 8
  - tree, binary 129, 130
  - tuple, binary 17, 93, 101
- U**
- unit of a monotone Boolean function 17, 94, 100
    - lower 17, 94
    - minimal 94
- V**
- vertex
    - of a complex 11, 20, 21, 25, 31, 32, 34
    - of a hypergraph 8, 9, 15, 32
    - of a polytope 68, 70, 78
    - of the graph of an independence system 20, 28
    - of the graph of MFSs 34
    - of the hypergraph of an independence system 31
    - of the hypergraph of MFSs 53
- W**
- width of an incidence matrix 9
- Z**
- zero of a monotone Boolean function 17, 94, 100, 104
    - upper 17, 94, 101, 103, 106
    - maximal 94, 101–105, 107

