

Contents

Preface — V

Contributing authors — XIII

Stefan Krause, Helge Niemann, and Tina Treude

1	Methane seeps in a changing climate — 1
1.1	Introduction — 1
1.2	What is a cold seep and what drives it? — 1
1.2.1	Methane seeps — 2
1.2.2	Oil seeps — 2
1.2.3	Pockmarks — 3
1.2.4	Mud volcanoes — 4
1.2.5	Brine seeps — 4
1.3	Seep chemistry and biology — 5
1.4	Cold seeps and gas hydrate — 7
1.5	Gas hydrates, methane bubbles — 9
1.6	Anaerobic methane oxidation, sulfide oxidation, and large seep fauna — 10
1.7	Carbonate depositions at cold seeps — 12
1.8	Effects of climate change on methane seeps and vice versa — 13
1.9	Methane and past climate — 13
1.10	Cold seeps and recent global climate change — 14
1.11	Heat transfer from the atmosphere to marine sediment — 14
1.12	Gas hydrate destabilization in the near future — 16
1.13	Areas most affected by gas hydrate destabilization — 18
1.13.1	The Arctic — 18
1.13.2	Blake Plateau — 19
1.14	The fate of methane — 19
1.14.1	Methane in the sediment — 20
1.14.2	Methane in the water column — 20
1.15	Methane seeps – relevant for climate change? — 21
1.16	Atmospheric methane concentration over time — 22
1.17	Closing remarks — 23

Samantha B. Joye and Sara Kleindienst

- 2 Hydrocarbon seep ecosystems — 33**
- 2.1 Overview — 33
- 2.2 Introduction – discovery of hydrocarbon seeps — 33
- 2.3 Geology of hydrocarbon seeps — 35
 - 2.3.1 Types and formation mechanism — 35
 - 2.3.2 Gas hydrates — 37
 - 2.3.3 Authigenic carbonates — 39
- 2.4 Biology and biogeochemistry of hydrocarbon seeps — 40
 - 2.4.1 Biogeochemistry — 40
 - 2.4.2 Biology — 41
 - 2.4.3 Microbiology — 42
- 2.5 Closing remarks — 46

Walter Menapace, Achim Kopf, Matthias Zabel, and Dirk de Beer

- 3 Mud volcanoes as dynamic sedimentary phenomena that host marine ecosystems — 53**
- 3.1 Abstract — 53
- 3.2 Introduction — 53
 - 3.2.1 Types of MV, expelled products, morphologies and dimensions — 53
 - 3.2.2 Identification on the seafloor and classification — 55
- 3.3 Geological significance — 57
 - 3.3.1 MV number estimation and distribution — 57
 - 3.3.2 Formation models and long-term evolution — 58
- 3.4 Mass transfer and fluid cycling fuel ecosystems — 61
 - 3.4.1 Composition and sources of gas, water, mud, and clasts — 61
 - 3.4.2 Seafloor and subseafloor ecosystems on MVs — 63
 - 3.4.3 MV episodicity — 66
 - 3.4.4 MV short term evolution — 67
 - 3.4.5 Methane in MVs: the Håkon Mosby case study — 69
- 3.5 Conclusion — 73

Solveig I. Bühring and Stefan M. Sievert

- 4 The shallow submarine hot vent system off Milos (Greece) – a natural laboratory for the study of hydrothermal geomicrobiology — 85**
- 4.1 Abstract — 85
- 4.2 Introduction — 85
 - 4.2.1 Background — 85
 - 4.2.2 Shallow marine systems: overview — 86
- 4.3 Milos – an extreme environment as a model system — 88
 - 4.3.1 Geophysical and geochemical conditions — 89
 - 4.3.2 Seabed features — 91

- 4.4 General aims in hydrothermal geomicrobiology and how they could be addressed by using Milos as a natural laboratory — 92
- 4.5 Conclusions and future directions — 100

Matthew O. Schrenk

- 5 Life in serpentinite hosted alkaline springs — 107**
 - 5.1 Abstract — 107
 - 5.2 Introduction to serpentinitization influenced ecosystems — 107
 - 5.2.1 Serpentinitization is common — 108
 - 5.2.2 Chemical reactions associated with serpentinitization — 109
 - 5.2.3 Inorganic geochemistry of serpentinites — 111
 - 5.2.4 Hydrogeology of serpentinite springs — 113
 - 5.2.5 Interfaces associated with serpentinitization — 114
 - 5.2.6 Mediators of carbon exchange — 114
 - 5.3 Where do serpentinitization processes occur? — 116
 - 5.3.1 Submarine systems — 116
 - 5.3.2 Continental serpentinite springs — 118
 - 5.3.3 Wells in serpentinitization influenced aquifers — 119
 - 5.3.4 Serpentine cores — 121
 - 5.3.5 Serpentine soils — 122
 - 5.4 Constraints upon the microbial ecology of serpentinite habitats — 122
 - 5.4.1 Challenges of hyperalkaliphily — 124
 - 5.4.2 “Plenty to eat, nothing to breathe ...” — 124
 - 5.4.3 Carbon availability — 126
 - 5.5 Are there endemic species in serpentinite hosted systems? — 127
 - 5.5.1 *Serpentinomonas*, here, there, and everywhere? — 127
 - 5.5.2 What about the Clostridiales? — 128
 - 5.6 Evidence of activity and function — 128
 - 5.7 Relevance to early Earth, deep biosphere and mineral carbonation — 129
 - 5.7.1 Carbon sequestration in serpentinites — 130
 - 5.8 Summary and future perspectives — 131

Mingyang Niu, Qianyong Liang, Dong Feng, and Fengping Wang

- 6 Ecosystems of cold seeps in the South China Sea — 139**
 - 6.1 Introduction — 139
 - 6.2 Framework geology — 140
 - 6.2.1 Southwest of Taiwan — 141
 - 6.2.2 Dongsha area — 143
 - 6.2.3 Shenhu area — 144
 - 6.2.4 Qiongdongnan Basin — 144
 - 6.2.5 Xisha area — 145

- 6.3 Macroecology in cold seeps of the northern South China Sea — 145
- 6.4 Microbial community — 148
 - 6.4.1 Formosa Ridge — 148
 - 6.4.2 Jiulong Reef and Haima Seep — 149
- 6.5 Outlook — 154

Jian Ding and Yu Zhang

- 7 Life at the hydrothermal vent field of the Southwest Indian Ridge — 161**
 - 7.1 Overview of the hydrothermal vents — 161
 - 7.2 Hydrothermal vents on the Southwest Indian Ridge — 163
 - 7.3 The biologic communities distributed on the SWIR — 164
 - 7.3.1 Faunal communities — 164
 - 7.3.2 Microbial communities — 165
 - 7.3.3 A case study on the microbial communities at the Longqi field — 167

Scott D. Wankel, Annie Bourbonnais, and Chawalit Charoenpong

- 8 Microbial nitrogen cycling processes at submarine hydrothermal vents — 179**
 - 8.1 Introduction — 179
 - 8.1.1 Hydrothermal fluid venting and mixing — 180
 - 8.1.2 Nitrogen species found in hydrothermal vent fluids — 180
 - 8.2 Energetic considerations — 183
 - 8.3 Microbially catalyzed nitrogen cycling processes — 186
 - 8.4 Stable isotopes as indicators of microbial processes — 188
 - 8.5 Genetic evidence for nitrogen cycling processes at vents — 192
 - 8.6 Nitrogen fixation — 193
 - 8.7 Nitrogen assimilation — 195
 - 8.8 Denitrification and anammox — 197
 - 8.9 Dissimilatory nitrate reduction to ammonium (DNRA) — 202
 - 8.10 Nitrification — 204
 - 8.11 Concluding remarks and future directions — 209

Jeffrey Marlow and Roland Hatzenpichler

- 9 Assessing metabolic activity at methane seeps: a testing ground for slow growing environmental systems — 223**
 - 9.1 Introduction — 223
 - 9.2 Observational approaches to quantifying seep hosted activity — 225
 - 9.2.1 Modeling rates of activity from geochemical profiles — 225
 - 9.2.2 Colonization Rates — 226
 - 9.3 Catabolism based methods — 227
 - 9.3.1 Tracking methane catabolism — 227
 - 9.3.2 Tracking sulfur catabolism — 232

- 9.3.3 Tracking catabolism of ‘nontraditional’ electron acceptors — **233**
- 9.4 Anabolism based methods — **233**
- 9.4.1 Cell quantification — **233**
- 9.4.2 Stable isotope probing — **234**
- 9.4.3 BONCAT — **239**
- 9.5 Key outstanding issues and challenges — **240**
- 9.5.1 Linking the lab with the real world — **240**
- 9.6 Metabolic activity and tools of the future — **243**
- 9.6.1 Preserving microscale spatial arrangements — **244**
- 9.6.2 Single-cell growth rate — **244**
- 9.6.3 Microcalorimetry — **245**
- 9.6.4 Raman spectroscopy — **246**
- 9.6.5 Replication rates from metagenomic data — **246**
- 9.6.6 Single-cell omics — **247**
- 9.7 Conclusions — **247**

Barbara J. MacGregor, Beverly Flood, Jake Bailey, and Matthew Kanke

- 10 Multiplication is vexation: a genomic perspective on cell division and DNA replication in the large sulfur bacteria — 261**
- 10.1 Abstract — **261**
- 10.2 Introduction — **262**
- 10.2.1 Overview of sequenced large sulfur bacteria — **265**
- 10.3 Septation — **266**
- 10.3.1 The division and cell wall (*dcw*) gene cluster is fragmented in several of the large sulfur *Beggiatoaceae* compared to close relatives — **266**
- 10.3.2 The available *Thiomargarita* genomes are missing genes for septum formation — **267**
- 10.3.3 What might substitute for ZipA and FtsA as an FtsZ membrane anchor in *Thiomargarita* septum formation? — **276**
- 10.3.4 How might central vacuoles divide? — **282**
- 10.4 Disruption of some gene clusters seems characteristic of marine LSB — **283**
- 10.5 DNA replication — **287**
- 10.5.1 LSB are lacking some or all of the typical gene features of bacterial replication origins — **287**
- 10.5.2 The two complete LSB genomes lack GC skew — **291**
- 10.5.3 Parallels to Cyanobacteria — **296**
- 10.5.4 Alternatives to DnaA — **299**
- 10.6 Summary and perspectives — **300**

Weishu Zhao and Xiao Xiang

11 Life in multiextreme environments: cross-stress response in Thermococcales — 307

11.1 Abstract — **307**

11.2 Introduction and background — **307**

11.3 Basic characteristics of Thermococcales — **308**

11.3.1 Physiological traits — **308**

11.3.2 Genome traits — **313**

11.4 Adaptation related pathways of Thermococcales — **314**

11.4.1 Energy conversion — **315**

11.4.2 Amino acid metabolism — **316**

11.4.3 Compatible solute — **317**

11.4.4 Composition of membrane lipid — **319**

11.4.5 Antioxidant pathway — **320**

11.5 Common adaptation strategies for different stresses — **321**

11.5.1 Common adaptation strategy — **322**

11.5.2 Summary of adaptation strategy — **324**

Index — 331