

Contents

Preface and personal acknowledgments — VII

Classes and schools related to this monograph — XI

Research funding acknowledgments — XIII

Own related work — XV

1 Introduction — 1

- 1.1 Multiphysics — 1
- 1.2 Variational phase-field fracture — 2
- 1.3 Interfaces — 4
 - 1.3.1 Fixed interfaces — 5
 - 1.3.2 Moving interfaces — 5
 - 1.3.3 Propagating interfaces — 6
 - 1.3.4 Realizing interface coupling — 6
- 1.4 Engineering problem: fracture and damage in screws — 8
- 1.5 State-of-the-art literature overview — 8
- 1.6 Outline of this book — 10

2 Notation, prerequisites, and prototype model problems — 15

- 2.1 Notation — 15
 - 2.1.1 Spatial domains, boundaries, fracture — 15
 - 2.1.2 Time/loading intervals — 16
 - 2.1.3 Model, material, and discretization parameters — 16
 - 2.1.4 Solution variables — 17
 - 2.1.5 Gradient, divergence, trace, Laplace — 17
 - 2.1.6 Function spaces — 18
 - 2.1.7 Notation for inner products, bilinear forms, semilinear forms — 21
 - 2.1.8 Notational conventions for scalars, vectors, tensors — 22
 - 2.1.9 Tables of variables, parameters, and constitutive quantities — 22
- 2.2 Prerequisites in differentiation and integration — 22
 - 2.2.1 Gauss–Green theorem/divergence theorem — 23
 - 2.2.2 Integration by parts and Green’s formula — 25
 - 2.2.3 Change of variables in Lebesgue integrals — 25
 - 2.2.4 Differentiation in Banach spaces — 26
 - 2.2.5 Chain rules — 28
- 2.3 A prototype phase-field formulation — 29

2.4	Comments on the prototype phase-field problem —	32
2.4.1	Relation to the obstacle problem —	32
2.4.2	Brief comments on the classification —	32
2.4.3	Energy formulations —	33
2.5	A simplified phase-field model for dynamic fracture —	34
3	Classifications of partial differential equations and variational inequalities —	35
3.1	Linear versus nonlinear PDEs —	35
3.1.1	General definition of a differential equation —	35
3.1.2	Classifications into linear and nonlinear PDEs —	36
3.1.3	Examples —	37
3.2	Variational equations versus variational inequalities —	37
3.2.1	Variational inequalities —	37
3.2.2	Minimization of functionals —	39
3.3	Coupled problems and multiphysics PDEs —	40
3.3.1	Domain coupling —	43
3.3.2	Interface coupling —	44
3.3.3	Coupling strategies —	45
3.4	Domain- and interface-coupling: Biot's equations coupled to elasticity —	50
3.4.1	Notation and equations —	50
3.4.2	Governing equations —	51
3.4.3	Examples of typical setups —	53
3.4.4	Variational-monolithic formulation —	53
3.4.5	Discretization, implementation, results —	54
3.5	Classification of the prototype quasi-static model problem —	55
3.6	Classification of the prototype dynamic model problem —	56
4	Modeling of variational phase-field fractures —	59
4.1	Ingredients from continuum mechanics and some constitutive laws —	59
4.2	Modeling brittle fracture in a nutshell —	61
4.3	Griffith's model —	62
4.4	Francfort and Marigo's variational model for brittle fracture —	63
4.4.1	Surface and bulk energies —	63
4.4.2	Evolution laws —	64
4.4.3	Specific forms of the total energy and Euler-Lagrange systems —	65
4.4.4	A weak formulation of quasi-static brittle phase-field fracture —	73
4.5	Thermodynamical extensions and interpretations —	73
4.5.1	Energy splitting for fracture under tension and compression —	73
4.5.2	A weak phase-field fracture formulation using stress splitting —	76

- 4.5.3 Derivation of a strain history field/replacing the irreversibility constraint — 76
- 4.5.4 A weak phase-field fracture formulation using strain history — 79
- 4.6 Comments on variational energy formulations versus Euler–Lagrange systems — 80

- 5 Numerical modeling part I: regularization and discretization — 83**
 - 5.1 Paradigm of numerical modeling: physics-based discretizations and solvers — 83
 - 5.2 The crack irreversibility constraint (entropy condition) — 83
 - 5.2.1 Strain history function — 84
 - 5.2.2 Simple penalization and augmented Lagrangian penalization — 84
 - 5.2.3 Primal-dual active set method — 86
 - 5.3 Temporal discretization — 89
 - 5.3.1 One-Step- θ and Fractional-Step- θ schemes — 89
 - 5.3.2 Example — 91
 - 5.3.3 Nonlinear time derivatives — 92
 - 5.3.4 Brief relation to quasi-static phase-field fracture — 93
 - 5.3.5 Importance of careful choices of time-stepping schemes in nonstationary multiphysics simulations — 93
 - 5.4 Spatial discretization — 95
 - 5.4.1 Finite element spaces — 95
 - 5.4.2 Incremental, spatially discretized weak formulations of quasi-static brittle phase-field fracture — 97
 - 5.5 Thoughts on the interaction of κ , ε and h — 98
 - 5.5.1 Heuristic arguments for the relationship between ε and h — 99
 - 5.5.2 Numerical analysis of a simplified, prototype problem — 101
 - 5.5.3 Summary and suggestions for κ , ε and h — 112
 - 5.6 A phase-field model for dynamic fracture — 116

- 6 Simulations I: a phase-field slit domain — 119**
 - 6.1 Motivation and objectives — 119
 - 6.2 Configuration and manufactured solution — 120
 - 6.3 Boundary conditions — 120
 - 6.4 Initial condition — 120
 - 6.5 Model, material, discretization parameters — 120
 - 6.6 Quantities of interest — 121
 - 6.7 Discussion of our findings — 121

- 7 Numerical modeling part II: linearizations, nonlinear solvers, and linear solution — 131**
 - 7.1 Partitioned versus monolithic coupling — 132

7.2	Linearizations via decoupling, time-lagging, or extrapolation —	132
7.3	Fixed-point iterations —	133
7.4	Functional iteration —	134
7.4.1	Abstract procedure —	135
7.4.2	Example —	135
7.5	Iterative coupling for solving PDE systems —	136
7.6	Iterative coupling for phase-field fracture —	136
7.6.1	A partitioned scheme with updating stabilizing parameters: <i>L</i> -scheme —	137
7.7	Monolithic schemes —	139
7.7.1	Challenges in phase-field fracture —	139
7.7.2	Quasi-monolithic schemes —	140
7.7.3	An iteration on the extrapolation —	142
7.8	Newton's method: overview. Going from \mathbb{R} to Banach spaces —	143
7.8.1	Monotonicity tests —	144
7.8.2	A basic algorithm for a residual-based Newton method —	144
7.8.3	Inexact Newton —	145
7.8.4	Abstract schemes for monolithic formulations and their numerical solution —	145
7.9	Newton-type methods applied to variational phase-field fracture —	148
7.9.1	A residual-based Newton algorithm —	148
7.9.2	An error-oriented Newton method —	152
7.9.3	A modified Newton method with Jacobian modification —	155
7.9.4	An error-oriented Newton method with Jacobian modification —	158
7.9.5	A combined Newton algorithm and using a primal-dual active set strategy —	159
7.10	Linear solution inside Newton's method of monolithic phase-field fracture systems —	161
7.10.1	Fully monolithic approximation —	162
7.10.2	A block-diagonal preconditioner for the extrapolated scheme —	163
7.10.3	A matrix-free geometric multigrid solver —	164
7.10.4	Parallel solution on uniform and adaptively refined meshes —	164
7.11	The augmented Lagrangian loop and an inexact version —	165
7.11.1	Augmented Lagrangian penalization —	166
7.11.2	An adaptive Newton stopping criterion for an inexact augmented Lagrangian method —	166
7.12	Comparing primal-dual active set and augmented Lagrangian in Newton-type algorithms —	167
7.13	Updating the strain history field —	168
8	Simulations II: single edge notched shear test —	169
8.1	Governing frameworks —	169

- 8.2 Goals and test cases — **169**
- 8.3 Results elsewhere in this monograph — **169**
- 8.4 Configuration — **170**
- 8.5 Boundary conditions — **171**
- 8.6 Initial conditions — **172**
- 8.7 Parameters — **172**
- 8.8 Quantities of interest — **172**
- 8.9 Discussion of our findings — **173**
- 8.9.1 General comparisons — **173**
- 8.9.2 Stabilized L -scheme with updating parameters — **175**
- 8.9.3 Loading step refinement — **175**

- 9 Numerical modeling part III: adaptive concepts — 177**
- 9.1 General motivation of adaptivity — **177**
- 9.1.1 Specific comments to spatial and temporal adaptivity for phase-field fracture — **178**
- 9.1.2 Further comments and recent developments — **178**
- 9.1.3 Efficiency, reliability, basic adaptive algorithm — **179**
- 9.1.4 Measuring the quality of the error estimator η — **180**
- 9.2 Goal-oriented a posteriori error estimation for steady-state phase-field fracture — **181**
- 9.2.1 Problem statements and setups — **181**
- 9.2.2 Brief recapitulation of the DWR method for nonlinear problems — **182**
- 9.2.3 Localization of the error estimator — **185**
- 9.2.4 Finite element approximations and comments on adjoint-based error estimation — **187**
- 9.2.5 A PU-DWR a posteriori error estimator for quasi-static phase-field fracture — **188**
- 9.2.6 Mesh refinement and marking strategies — **190**
- 9.3 Comments on a posteriori error estimation in numerical simulations — **193**
- 9.3.1 Example: Stationary Navier–Stokes 2D-1 benchmark — **194**
- 9.4 Multigoal-oriented a posteriori error estimation — **199**
- 9.4.1 Examples of multiple goal functionals — **199**
- 9.4.2 Constructing a combined goal functional — **201**
- 9.4.3 A multigoal-oriented a posteriori error estimate for steady-state phase-field fracture — **204**
- 9.4.4 Adaptive algorithm for multigoal-oriented discretization error estimation — **205**
- 9.4.5 Adaptive algorithm for balancing discretization and nonlinear iteration errors — **206**
- 9.4.6 Algorithm for multigoal-oriented error estimation — **207**

9.5	Predictor-corrector adaptivity —	207
9.5.1	Local mesh refinement around growing fractures —	207
9.5.2	An adaptive nonintrusive global-local procedure —	209
9.6	Adaptive time step control – a heuristic estimator —	211
10	Simulations III: goal-oriented error control for a phase-field slit and time control for a screw —	215
10.1	A PU-DWR method for a slit modeled by phase-field —	215
10.1.1	Configuration, boundary conditions, initial condition, and parameters —	215
10.1.2	Goal functionals and reference values —	215
10.1.3	Goal-oriented a posteriori error estimator —	216
10.1.4	Example 1a/b: upper half domain goal functional —	216
10.1.5	Example 2a/b: point value as goal functional —	218
10.2	Multigoal-oriented error estimation for the slit without phase-field —	219
10.2.1	Problem statement and configuration —	220
10.2.2	Quantities of interest —	220
10.2.3	Single goal functional —	221
10.2.4	Multigoal-oriented error estimation —	221
10.3	Screw tests: error control in time/loading —	222
10.3.1	Formulation —	222
10.3.2	Configuration —	223
10.3.3	Boundary conditions —	224
10.3.4	Initial condition —	224
10.3.5	Parameters —	224
10.3.6	Quantity of interests —	225
11	Multiphysics extensions involving fracture —	227
11.1	Interface definition and interface conditions —	227
11.2	Interpreting phase-field as level-set for capturing the interface —	227
11.2.1	Constructing and working with indicator functions using φ —	228
11.2.2	Constructing a level-set function —	229
11.2.3	Example —	230
11.3	Crack width computations and total crack volume —	230
11.4	Pressurized and nonisothermal phase-field fractures —	233
11.4.1	Pressurized fractures in elasticity —	233
11.4.2	Nonisothermal fractures —	240
11.4.3	A goal-oriented error estimator —	245
11.5	A pressure diffusion equation in porous media —	246
11.6	A brief introduction to continuum mechanics —	248
11.6.1	Transformations and deformations —	250

11.6.2	Identification of Eulerian and Lagrangian coordinates —	254
11.6.3	Transformation of derivatives —	254
11.6.4	Nanson's formula and the Piola transformation —	256
11.6.5	Reynolds transport theorem and conservation of momentum —	257
11.6.6	Conservation of momentum —	259
11.6.7	Constitutive laws —	261
11.7	Fractures inside large solid deformations —	261
11.7.1	Lagrangian perspective for dynamic fracture —	261
11.7.2	Lagrangian perspective for pressurized dynamic fractures —	262
11.7.3	Fixed-mesh fully Eulerian framework —	263
11.8	Coupling fluid-structure interaction with phase-field fracture —	265
11.8.1	An arbitrary Lagrangian–Eulerian framework —	265
11.8.2	A fixed-mesh fully Eulerian model —	273
11.8.3	Fluid-structure interaction with fracture Navier–Stokes flow —	276
11.8.4	Illustrating comparisons of ALE with fixed-mesh fully Eulerian —	279
11.9	Specific challenges in multiphysics phase-field fracture —	279
11.9.1	A good practice example from Frei/Richter/Wick —	281
12	Simulations IV —	283
12.1	Quasi-static pressurized fractures —	283
12.1.1	Sneddon's test —	283
12.1.2	Mixed boundary conditions —	286
12.2	Nonisothermal phase-field fracture —	288
12.2.1	Example 1: Sneddon's 2d setting with pressure —	289
12.2.2	Example 2: Sneddon's 2d setting with pressure and constant temperature —	290
12.2.3	Example 3: Setting with pressure, temperature, and decline constant —	290
12.3	A propagating fracture in a porous medium —	290
12.3.1	Outline of the main concepts —	290
12.3.2	Discussions of our findings —	291
12.4	Fractured solid coupled with Navier–Stokes flow —	291
12.4.1	Example 1: Constant flow —	292
12.4.2	Example 2: Sinus-inflow —	293
13	Research software development —	295
13.1	Current developments in my group —	297
14	Conclusions and future interest —	299
14.1	Open problems —	300
15	The end —	301

XXIV — Contents

Bibliography — 303

Index — 327