

Contents

Preface to the 2nd edition — V

Preface — VII

1 Process Integration and Intensification: An Introduction — 1

- 1.1 Process Intensification — 1
- 1.2 Process Systems Engineering and Process Integration — 3
- 1.3 Contributions to PIs and PI to energy and water saving — 4
- 1.4 What is Process Integration? — 4
- 1.5 A short history of the development of Process Integration — 5
- 1.6 The aim and scope of this textbook — 8

2 Setting energy targets and Heat Integration — 13

- 2.1 Introduction — 13
 - 2.1.1 Initial development of Heat Integration — 14
 - 2.1.2 Pinch Technology and targeting Heat Recovery: The thermodynamic roots — 14
 - 2.1.3 Supertargeting: Full-fledged HEN targeting — 15
 - 2.1.4 Modifying the Pinch Idea for HEN Retrofit — 16
 - 2.1.5 Benefits of Process Integration — 16
 - 2.2 Pinch Analysis for maximizing energy efficiency — 17
 - 2.2.1 Introduction to Heat Exchange and Heat Recovery — 17
 - 2.2.2 Basic principles — 19
 - 2.2.3 Basic Pinch Technology — 28
- 2.3 Summary — 65

3 Synthesis of Heat Exchanger Networks — 71

- 3.1 Introduction — 71
- 3.2 HEN synthesis — 71
 - 3.2.1 The Pinch Design Method — 72
 - 3.2.2 Methods using mathematical programming — 93
- 3.3 Grassroots and retrofits; impact of economic criteria — 97
 - 3.3.1 Network optimization — 97
 - 3.3.2 The Network Pinch — 98
- 3.4 Summary — 100

4 Total Site Integration — 103

- 4.1 Introduction — 103
- 4.2 What is a Total Site and what are the benefits? — 104

4.2.1	Total Site definition —	105
4.2.2	Total Site Analysis interfaces —	106
4.3	HI extension for Total Sites: Data extraction for Total Sites —	107
4.3.1	The algorithm —	107
4.3.2	Step-by-step guide —	107
4.3.3	Working session —	113
4.4	Total Site Profiles and Total Site Composite Curves —	116
4.5	Site Utility Grand Composite Curve (SUGCC) —	123
4.6	Modeling of Utility Systems —	124
4.6.1	A flexible steam turbine model for cogeneration evaluation —	124
4.6.2	Utility network modelling: Simulation and optimization —	130
4.6.3	Utility system: An illustrative example —	132
4.7	Targeting of Combined Heat and Power generation (CHP, Cogeneration) during process design —	135
4.7.1	Targeting CHP using the SUGCC —	135
4.7.2	Choice of optimal steam pressure levels —	137
4.8	Advanced Total Site developments —	139
4.8.1	Introduction of process-specific minimum allowed temperature differences —	139
4.8.2	Retrofit of industrial energy systems at the site level —	140
4.8.3	Numerical tools for Total Site Heat Integration —	141
4.8.4	Power Integration —	147
4.8.5	Targeting for Low CO ₂ Emissions with CO ₂ Emission Pinch Analysis —	159
4.9	Summary —	166
5	An Integrated Pinch Analysis Framework for Low CO₂ Industrial Site Planning —	171
5.1	Introduction —	171
5.2	Framework for Low CO ₂ Emissions Industrial Site Planning —	171
5.3	Case Study —	174
5.3.1	Stage 1: Baseline study —	175
5.3.2	Stage 2: Targeting for Total Site Heat Recovery with cogeneration using TSHI (Tool 1) —	177
5.3.3	Stage 3: Targeting for hybrid power system integrating RE resources with PoPA (Tool 2) —	179
5.3.4	Stage 4: Targeting for low CO ₂ emission with CEPA (Tool 3) —	181
5.3.5	Summarized network diagram —	186
5.4	Conclusion —	186
6	Introduction to Water Pinch Analysis —	191
6.1	Water management and minimization —	191

6.2	History and definition of Water Pinch Analysis —	192
6.3	Applications of Water Pinch Analysis —	193
6.4	Water Pinch Analysis steps —	194
6.5	Analysis of water networks and data extraction —	195
6.5.1	Analysis of water networks —	195
6.5.2	Data extraction —	197
6.5.3	Example —	198
7	Setting the maximum water recovery targets —	205
7.1	Introduction —	205
7.2	Maximum water recovery target for single pure freshwater —	209
7.2.1	Water Cascade Analysis technique —	209
7.2.2	Source/Sink Composite Curves (SSCC) —	212
7.2.3	Significance of the Pinch region —	213
7.3	Maximum water recovery target for a single impure freshwater source —	214
7.3.1	Pinched problems —	214
7.3.2	Threshold problems —	221
7.4	Maximum water recovery targets for multiple freshwater sources —	221
7.5	Working session —	225
7.6	Solution —	225
8	Water network design/retrofit —	231
8.1	Introduction —	231
8.2	Source/Sink Mapping Diagram (SSMD) —	231
8.3	Source and Sink Allocation Curves (SSAC) —	233
8.3.1	Example of network design using SSCC for utility purity superior to all other streams —	236
8.3.2	Freshwater purity not superior to all other streams —	240
8.3.3	Simplification of a water network or constructing other network possibilities —	244
8.4	Working session —	247
8.5	Solution —	247
8.6	Optimal Water [®] software —	249
9	Design of Cost-Effective Minimum Water Network (CEMWN) —	253
9.1	Introduction —	253
9.2	Water Management Hierarchy —	253
9.3	Cost-Effective Minimum Water Network (CEMWN) —	255
9.4	Industrial case study – a semiconductor plant —	265
9.4.1	Using CEMWN targets as reference benchmarks —	279

10	Conclusions and sources of further information — 287
10.1	HEN targeting, synthesis, and retrofit — 287
10.2	Total Site Integration — 288
10.3	Total Site methodology addressing variable energy supply and demand — 289
10.4	Utility system optimization accounting for cogeneration — 290
10.5	Maximum water recovery targeting and design — 291
10.5.1	Recommended books for further reading — 291
10.5.2	State of-the-art review — 293
10.6	Analysing the designs of isolated energy systems — 294
10.7	PI contribution to supply chain development — 295
10.8	Hydrogen networks design and management — 295
10.9	Oxygen Pinch Analysis — 296
10.10	Pressure drop considerations and heat transfer enhancement in Process Integration — 297
10.11	Power (Electricity) and Hybrid Pinch — 299
10.12	Computational and modeling tools suitable for applying PI — 300
10.12.1	Heat and power PI applications — 300
10.12.2	Water Pinch software — 301
10.13	Challenges and recent developments in Pinch-based PI — 302
10.14	PRES Conferences on Process Integration, Modelling and Optimisation for Energy Saving and Pollution Reduction — 303
	Index — 309