

Original Communications

- Structure and Properties of the Stannides CeAuSn, Ce₃Rh₄Sn₁₃, and Ce₃Ir₄Sn₁₃
D. NIEPMANN, R. PÖTTGEN, K. M. PODUSKA, F. J. DiSALVO, H. TRILL, and B. D. MOSEL 1
- Preparation and Spectroscopic Characterization of Sodium Pentacyano(phosphane/phosphite)-ferrates(III) (In German)
H. INOUE, S. OSONE, and E. FLUCK 9
- Interaction in Molecular Crystals, 166. Polyiodo Molecules I₂C=Cl₂, (IC)₄S, (IC)₄NH, (IC)₄N-CH₃ and HCl₃: Structure Determination Following Crystallization or by Density Functional Theory Calculation (In German)
H. BOCK, S. HOLL, and V. KRENZEL 13
- Synthesis and Structure of Chiral Silatranes Derived from Terpenes
G. WAGNER, R. HERRMANN, B. PEDERSEN, and W. SCHERER 25
- Crystal Structure of Tetraphenylphosphonium Dichloroiodate(I) [PPh₄][ICl₂] (In German)
R. MINKWITZ and M. BERKEI 39
- Crystal Structure and Magnetic Properties of a Linear Trinuclear Ni(II) Complex
E. KAVLAKOGLU, A. ELMALI, Y. ELERMAN, R. WERNER, I. SVOBODA, and H. FUESS 43
- New Information on the Na-Ti-Se Ternary System
J. A.AITKEN and M. G. KANATZIDIS 49
- Some Organic-Inorganic Hybrid Compounds Based on *iso*-Thiuronium Cations and Lead Halide Anions
G. C. PAPAVASSILIOU, G. A. MOUSDIS, and I. B. KOUTSELAS 57
- Metal Complexes of Biologically Important Ligands, CXXXI. Pentamethylcyclopentadienyl Halosandwich Complexes of Rhodium and Iridium with Glycosyl- α -iminocarboxylates as Chelate Ligands (In German)
S. KRAWIELITZKI and W. BECK 62

- Metal Complexes of Biologically Important Ligands, CXXXII. N,O-Chelate Complexes of Palladium(II), Platinum(II), and Iridium(III) with the Anion of Glucosaminic Acid (2-Amino-2-deoxy-D-gluconic Acid) (In German)
S. KRAWIELITZKI and W. BECK 69
- Synthesis and Structure of Benzyl Substituted Derivatives of the Dinickel Triple-Decker Complex $\mu\text{-}\eta^5\text{,}\eta^5\text{-}(2,3\text{-Dihydro-}1,3\text{-diborolyl})\text{-}(\eta^3\text{-allyl})(\eta^4\text{-}1,5\text{-hexadiene})$ dinickel (In German)
W. SIEBERT, S. HUCK, and H. PRITZKOW 73
- Synthesis and Crystal Structure of Mn₂(C₂H₅NH₂)₂Sb₂S₅. Exhibiting a Reversible Phase Transition
M. SCHUR, C. NÄTHER, and W. BENNSCH 79
- Preparation, ¹¹B, ¹³C NMR and Vibrational Spectra of Cs₂[B₆Cl₅(*p*-C₆H₄(NH₂))] and Crystal Structure of (Ph₄P)₂[B₆Cl₅(*p*-C₆H₄(NH₂))]:2CH₃CN·0.5 Et₂O (In German)
S. ZANDER and W. PREETZ 85
- Dimeric Di(N-lithio-*tert*-butylamino)bis(dimethylamino)silane – [Si(N(CH₃)₂)₂(NLiC(CH₃)₃)₂]₂ – Synthesis und Crystal Structure (In German)
J. ENGERING, E.-M. PETERS, and M. JANSEN 90
- On Complexes of the Type {(PhC≡C)₃P}₃M(CO)₃ (M = Cr, Mo, W) (In German)
N. KUHN, M. GÖHNER, and M. STEIMANN 95
- Crystallographic and Spectroscopic Evidence of O-Bonding in 3d-Metal Dicyanomethanidone Complexes
M. HVASTIJOVÁ, J. KOHOUT, J. W. BUCHLER, H. W. KATZENMEIER, J. KOŽÍŠEK, and C. DIDIERJEAN 100
- Orthoamides, LV. C₇H₇N₃O₆ – Tris(diformylamino)methane (“Formylaalen”) – an Orthoformic Acid Amide Derivative with Six Formyl Groups (In German)
W. KANTLEHNER, G. ZIEGLER, M. CIESIELSKI, O. SCHERR, and M. VETTEL 105

Notes

Germanium Isotope Effect on the ^{19}F Chemical Shift in Difluorodimethylgermane and the ^{13}C Chemical Shift in Tetramethylgermane
(In German)

W. BUCHNER and W. WOLFSBERGER 108

Original Communications

Interaction in Molecular Crystals, 167. Crystallization and Structure Determination of σ -Donor/Acceptor Complexes between 1,4-Dioxane and the Polyiodine Molecules I_2 , $I_2C=Cl_2$, $(IC)_4S$ and $(IC)_4NR$ ($R = H, CH_3$) (In German)

H. BOCK and S. HOLL 111

Reaction between Yttrium Nitrate and 2,2':6',2"-Terpyridine (terpy) in MeCN: Preparation, Crystal Structures and Spectroscopic Characterization of $[Y(NO_3)_3(\text{terpy})(H_2O)]$ and $[Y(NO_3)_3(\text{terpy})(H_2O)] \cdot \text{terpy} \cdot 3\text{MeCN}$

A. K. BOUDALIS, V. NASTOPOULOS, A. TERZIS, C. P. RAPTOPOULOU, and S. P. PERLEPES 122

Acylation of 2,3-Dihydro-1,3-diisopropyl-4,5-dimethylimidazol-2-ylidene (In German)

N. KUHN, M. STEIMANN, and M. WALKER 129

Syntheses and Characterization of 1-Haloazagermatanes

P. L. SHUTLOV, S. S. KARLOV, J. LORBERTH, and G. S. ZAITSEVA 137

Mono- and Bis(cyclopentadienyl)hafnium(IV) Derivatives with Higher Fatty Acids

O. P. PANDEY, S. K. SENGUPTA, B. P. BARANWAL, S. K. SHUKLA, and A. BHATT 141

Remarkably Large ^{15}N , ^{13}C and ^{18}O Isotope NMR Shifts of the Mono-coordinate Phosphorus Atoms in the Compounds $(\text{Me}_3\text{Si})^i\text{PrNCP}$, $K^+[\text{iPrNCP}]^-$ and $KOCP \cdot 2\text{DME}$ (DME = 1,2-Dimethoxyethane)

G. HECKMANN, G. BECKER, S. HORNER, H. RICHARD, H. KRAFT, and P. DVORTSAK 146

Interaction in Molecular Crystals, 168. σ -Donor/Acceptor Complexes $\{\text{HCl}_3 \cdots X^\ominus\}$ ($X^\ominus = \text{Cl}^\ominus, \text{Br}^\ominus, \text{I}^\ominus$) of Triiodomethane in Tetraphenylphosphonium Halides (In German)

H. BOCK and S. HOLL 152

Preparation and Characterization of Bis(trichlorosilyl)phenylamine and 2,2,4,4-Tetrachloro-1,3-diphenyl-[1,3,2,4]diazadisiletidine (In German)

S. BZIK and M. JANSEN 164

Rubidium and Caesium Oxoantimonates(V) with Channel Structures. Syntheses, Crystal Structures and Vibrational Spectra (In German)

C. HIRSCHLE, J. ROSSTAUSCHER, F. EMMERLING, and C. RÖHR 169

Syntheses and Characterization of *cis*- and *trans*-Dicyclohexyl-3,3',4,4'-tetracarboxylic Acids and their Dianhydrides (In German)

A. SHIOTANI 179

Preparation and Structural Characterization of *cis*- and *trans*-Tetramethyl Dicyclohexyl-3, 3', 4, 4'-tetracarboxylates (In German)

A. SHIOTANI 189

Spectro-Electrochemistry of Diethyldithiocarbamate Complexes of Ni(II), Pd(II) and Pt(II)

S. Ö. YAMAN, A. M. ÖNAL, and H. ISCI 202

Notes

Preparation and Crystal Structure of $\text{Cs}_6\text{Cl}_4\text{O}$ (In German)

A.-V. MUDRING and M. JANSEN 209

Preparation and Characterization of 4-[4-(Dimethylamino)styryl]-1-methyl-pyridinium Lead Triiodide and its Tribromide Analog

G. C. PAPAVASSILIOU, G. A. MOUSDIS, and I. B. KOUTSELAS 213

The Crystal and Molecular Structure of $(\mu\text{-Oxo})\text{bis}[\text{chloro}(\text{methyl})\text{thienyltellurium(IV)}$]

R. OILUNKANIEMI, R. S. LAITINEN, and M. AHLGRÉN 215

Original Communications

Synthesis and Structural Characterization of Metal Complexes of 2-Formylpyrrole 4N -Methylthiosemicarbazone ($4ML_1$) and 2-Acetylpyrrole 4N -Methylthiosemicarbazone ($4ML_2$). The X-Ray Crystal Structures of $[Ni(4ML_1\text{-H})_2]$, $[Pd(4ML_1\text{-H})_2]$ and $[Cd(4ML_2)_2I_2]$

R. ALONSO, E. BERMEJO, R. CARBALLO, A. CASTIÑEIRAS, and T. PÉREZ 219

Structural Study of a Binuclear Zinc Complex of 2,6-Diacetylpyridine Bis{N(4)-dimethylthiosemicarbazone}, $[Zn(2,6\text{Ac}4\text{DM})_2 \cdot \text{MeCN}]$

E. LABISBAL, A. CASTIÑEIRAS, C. A. BROWN, and D. X. WEST 229

Synthesis, Spectroscopic Characterization and Crystal and Molecular Structures of $[Ph_4P[(SeO_4)(SnPh_3)(SnPh_3X)]]_n$ ($X = Cl, Br$)

C. A. DIOP, L. DIOP, U. RUSSO, A. SÁNCHEZ-DÍAZ, and A. CASTIÑEIRAS 233

New Magnesium Compounds RE_2Cu_2Mg ($RE = Y, La - Nd, Sm, Gd - Tm, Lu$) with Mo_2FeB_2 Type Structure

R. MISHRA, R.-D. HOFFMANN, and R. PÖTTGEN 239

The Crystal Structures of $[(TMEDA)LiCl]_2 \cdot$ Toluene and $[(MeCN)_2LiCl]_n$ (In German)

S. CHITSAZ, J. PAULS, and B. NEUMÜLLER 245

A New Binuclear Lutetium(III) Dimethyl-N-trichloroacetylaminodiphosphate Complex with a γ,γ' -Dipyridyl Bridge,
 $[Lu[CCl_3C(O)NP(O)(OCH_3)_2]_2]_{2-\mu}(\gamma,\gamma'\text{-dipy})$

V. A. TRUSH, J. SWIATEK-KOZLOWSKA, V. V. SKOPENKO, and V. M. AMYRKHANOV 249

Synthesis, Reactions and ^{51}V NMR Spectroscopic Studies of Imidovanadium(V) Trichlorides: $RN=VCl_3$ ($R = H, SiMe_3$, Alkyl) (In German)

F. PREUSS, U. FISCHBECK, F. TABELLION, J. PERNER, W. FRANK, and G. REISS 255

Oxovanadium(IV), Nickel(II) and Palladium(II) Complexes of Tridentate Salicylaldimimates Derived from 2,4-Di-*tert*-butyl-6-aminophenol

V. T. KASUMOV 263

Studies on Polyhalides, XXXXII. The Pentaiodide-Ion I_5^- ; an Overview: Preparation and Crystal Structure of $[Rb(C_{16}H_{24}O_6)](I_5) \cdot H_2O$ (In German)

I. PANTENBURG and K.-F. TEBBE 271

Kinetics of the Substitution of Norbornadiene in Tetracarbonyl(norbornadiene)molybdenum(0) by 2,2'-Bipyridine

C. KAYRAN and E. OKAN 281

$[(C_6H_5)_3P)_2N]O_3$ and $[((CH_3)_2N)_3PN)_4P]O_3$, New Ionic Ozonides with Cations Suitable for Phase Transfer (In German)

W. KLEIN and M. JANSEN 287

Metal Complexes of Biologically Important Ligands, CXXXIII. α -Aminocarboxylate Chelates of Cyclometalated Rhodium Complexes (In German)

A. BÖHM, K. POLBORN, and W. BECK 293

New π -Donor Molecules with a Pyrazino Group and their Conducting Salts

G. C. PAPAVASSILIOU, Y. MISAKI, K. TAKAHASHI, J. YAMADA, G. A. MOUSDIS, T. SHARAHATA, and T. ISE 297

Synthesis, Characterization, Crystal Structure and hybrid DFT Computation of the Chlorooxoarsenate(III), $[NMe_4]_2[As_4O_2Cl_{10}] \cdot 2CH_3CN$

T. M. KLAPOETKE and T. SCHÜTT 301

Reactions of $C(NMe_2)_4$ with Group 6 Carbonyl Compounds. Crystal Structures of $[C(NMe_2)_3][(CO)_5CrC(O)NMe_2]$, $[C(NMe_2)_3]_2[Mo_2(CO)_{10}]$ and $[C(NMe_2)_3]_2[(CO)_4Mo(O_2CNMe_2)]$ (In German)

W. PETZ, B. NEUMÜLLER, J. LORBERTH, K. MEGGES, and W. MASSA 306

Quassinooids and Other Constituents from <i>Picrasma crenata</i>	Total Synthesis of S-(+)-Argentilactone
H. C. KREBS, P. J. SCHILLING, R. WARTCHOW, and M. BOLTE	M. SAEED, M. ABBAS, K. M. KHAN, and W. VOELTER
	325
Modes of Xanthine Complexation to Dirhodium Tetrakis[(<i>R</i>)- α -methoxy- α -(trifluoromethyl)- phenylacetate] in Solution and in the Solid State	
S. ROCKITT, R. WARTCHOW, H. DUDDECK, A. DRABCZYNSKA, and K. KIEC-KONONOWICZ	319

Original Communications

Chemical Vapour Transport of Intermetallic Phases IV: The System Fe - Ge (In German)

O. BOSHOLM, H. OPPERMANN, and S. DÄBRITZ
329

A Simple High-Yield Synthesis of Gallium(I) Tetrachlorogallate(III) and the Reaction of Di-gallium Tetrachloride Tetrahydrofuran Solvate with 1,2-Diols

E. S. SCHMIDT, A. SCHIER, N. W. MITZEL, and H. SCHMIDBAUR
337

Ethylboration of Stannyl-Substituted Sulfur Di-imides

M. HERBERHOLD, S. GERSTMANN, and B. WRACK-MEYER
342

A Novel Access to Tertiary and Secondary *ortho*-Aminophenylphosphines by Protected Group Synthesis and Palladium Catalyzed P-C Coupling Reactions

A. HESSLER, K. W. KOTTSIEPER, S. SCHENK, M. TEPPER, and O. STELZER
347

X-Ray Structure of 6(*E*)-[2(*Z*)-(Hydroximino)-2-phenylethyldene]-7,7,8,8,9,9-hexamethyl-3-phenyl-1,2-oxazaspiro[4.4]non-2-ene

T. BOROWIAK, I. WOLSKA, H. MAYR, and J. BARAN
354

Synthesis and Characterization of the Manganese Pyroarsenate $\text{Mn}_2\text{As}_2\text{O}_7 \cdot 2\text{H}_2\text{O}$

N. STOCK, G. D. STUCKY, and A. K. CHEETHAM
359

Atomic Volume, Atomic Distances and Chemical Bonding in Solid Metallic Elements (In German)

M. TRÖMEL and S. HÜBNER
364

Structural Study of an N(4)-Substituted Thiosemi-carbazone Prepared from 1-Phenyl-1,2-propane-dione-2-oxime, and of a Related Nickel(II) Complex

E. BERMEJO, A. CASTIÑEIRAS, and D. X. WEST
369

Crystal Structure and Conformation of 2-{(2'-Aminobenzyl)iminoethyl}-5-methoxyphenol

D. K. DEY, S. P. DEY, A. ELMALI, and Y. ELERMAN
375

Synthesis of Novel Tetracarboxylato Dirhenium(III) Compounds and Crystal Structure of $[\text{Re}_2(1\text{-Adamantylcarboxylate})_4\text{Cl}_2] \cdot 4\text{CHCl}_3$

A. V. SHTEMENKO, A. A. GOLICHENKO, and K. V. DOMASEVITCH
381

The Chemical Evolution of a Nitrogenase Model, XXIII. The Nature of the Active Site and the Role of Homocitric Acid in MoFe-Nitrogenase

J. G. PALMER, P. A. DOEMENY, and G. N. SCHRAUZER
386

New Dinuclear Transition Metal Complexes with the $[\text{M}_2(\mu\text{-dhbq})]^{\text{n}+}$ Core and 2-(2'-Pyridyl)-quinoxaline (L) as a Terminal Ligand: Preparation and Characterization (dhbq²⁻ = the Di-anion of 2,5-Dihydroxy-1,4-benzoquinone; M = Ag^I, Mn^{II}, Co^{II}, Ni^{II}, Cu^{II}, Ru^{II}, Pd^{II}, Fe^{III}, Rh^{III}; n = 0, 2, 4)

S. I. MOSTAFA, S. P. PERLEPES, and N. HADJILIADIS
394

Metal Complexes of Biologically Important Ligands, CXXXVII. Halfsandwich Complexes with *N,O*-Chelates and Schiff Bases of β -Amino Acids (In German)

D. KOCH, W. HOFFMÜLLER, K. POLBORN, and W. BECK
403

Synthesis of α -Tocopheryl Glycosides

S. WITKOWSKY and P. WAŁĘJKO
411

Synthesis of 3,4-Dihydro-2*H*-pyrans by Hetero-Diels-Alder Reactions of Functionalized α,β -Unsaturated Carbonyl Compounds with Styrenes

K. BOGDANOWICZ-SZWED and A. PAŁASZ
416

The Alkaline Metal Oxo-Silicates $\text{A}_6[\text{Si}_3\text{O}_9]$ and $\text{A}_6[\text{Si}_2\text{O}_7]$ (A = Rb, Cs): Preparation and Crystal Structure (In German)

C. HOCH and C. RÖHR
423

Notes

Optical Outer-Sphere Charge Transfer and Photo-reactivity of the Ion Pair Tetrabutylammonium Tetrabutylborate

H. KUNKELY and A. VOGLER 431

$\text{Rb}_8\text{AlO}_4\text{Au}_3 \equiv \text{Rb}_5\text{AlO}_4 \cdot 3\text{RbAu}$ – an Aluminate Auride (In German)

A.-V. MUDRING and M. JANSEN 433

Efficient Medium-Scale Synthesis of 2-Bromo-5-*tert*-butylbenzene-1,3-dicarbaldehyde

M. H. KLINGELE and B. KERSTING 437

Cocrystallisation of Trimethylchlorostannane with a Distannoxane

N. W. MITZEL, C. LUSTIG, and S. SCHARFE 440

Crystal Structure of a Lithium Chloride Cubane Cluster Solvated by Diethyl Ether

N. W. MITZEL and C. LUSTIG 443

Synthesis and Structure of YbPdSn_2

D. KUSSMANN and R. PÖTTGEN 446

Deoxycyclopaldic Acid and Cyclopaldic Acid, Plant Growth Regulators, Produced by *Penicillium* sp.

A. SHIMADA, K. NAKAYA, S. TAKEUCHI, and Y. KIMURA 449

Original Communications

A One-Dimensional Polymeric Form of the Polycation Te_8^{2+} in the Structure of $\text{Te}_8[\text{Bi}_4\text{Cl}_{14}]$	Defluorination of Graphite Fluoride Applying Magnesium (In German)
J. BECK and A. STANKOWSKI	E.-C. KOCH
	512
Preparation and Structure of Cyclic Gallium(III) and Gallium(II) 2-Amino-ethyl-amides	Synthesis and Crystal Structure of a Novel Polymeric Lead(II) Complex with Thiosemicarbazonato and Thiocyanate Ligands
E. S. SCHMIDT, A. SCHIER, N. W. MITZEL, and H. SCHMIDBAUR	A. CASTIÑEIRAS, R. DOMÍNGUEZ, L. BRESOLIN, J. BORDINHÃO, A. J. BORTOLUZZI, and M. HÖRNER
	517
New Metal-Rich Compounds NbIrSi , NbIrGe , and TaIrSi – Synthesis, Structure, and Magnetic Properties	Dependence of the Distortion of the Square Pyramids in N,N -Dimethylethylenediammonium Pentachloroantimonate(III) on the Geometry of Hydrogen Bonds
R. MISHRA, R. PÖTTGEN, and G. KOTZYBA	M. BUJAK and J. ZALESKI
	521
Interaction in Molecular Crystals, 174. Crystal Growth and Structure Determination of Differently Methyl-Substituted Tetraphenyl Imidodiphosphates (In German)	Synthesis and Solid-Phase Application of a 9-Xanthenyl Handle
H. BOCK and E. HEIGEL	C. SOMLAI, P. HEGYES, R. FENYÖ, G. K. TÓTH, B. PENKE, and W. VOELTER
	526
Interaction in Molecular Crystals, 175. Crystal Growth and Structure Determination of {Cesium-tetraphenylimidodiphosphate} Aggregates with Differing Lipophilic Wrapping Due to Differently Methyl-Substituted Phenyl Rings, and Relativistic DFT-Model Calculations of Cesium/Cesium Interactions (In German)	α -Dicarbonylmonophenylhydrazones as Nucleophiles and Neighbouring Groups (In German)
H. BOCK, E. HEIGEL, and Z. HAVLAS	H. MÖHRLE and G. KELLER
	533
	Synthesis and Properties of α -Aminocarbohydroximic Esters (In German)
	W. THIMANN and D. GEFFKEN
	547
	A New Synthesis of Two Naturally Occurring Dihydrobenzo[<i>b</i>]furan-Type Neolignans of Potential Biological Activity
	L. JUHÁSZ, Z. DINYA, S. ANTUS, and T. E. GUNDA
	554

