Crystal structure of 2-acetoxy-1,1-dimesityl-3,3-dimethylbut-1-ene, $(C_9H_{11})_2C_2(CO_2CH_3)C(CH_3)_3$

K. Peters, E.-M. Peters

Max-Planck-Institut für Festkörperforschung, Heisenbergstraße 1, D-70506 Stuttgart, Germany

M. Schmittl and H. Trenkle

Universität Würzburg, Institut für Organische Chemie, Am Hubland, D-97074 Würzburg, Germany

Received February 7, 1997, CSD-No. 402836

Table 3. (Continued)

Atom	Site	x	y	z	U ₁₁	U ₂₂	U ₃₃	U ₁₂	U ₁₃	U ₂₃
C(4)	4e	0.2544(3)	0.0651(7)	0.2180(3)	0.059(4)	0.058(4)	0.049(4)	0.002(3)	0.017(3)	-0.001(3)
C(5)	4e	0.2155(4)	-0.0205(7)	0.2596(3)	0.084(5)	0.074(5)	0.048(4)	0.015(4)	0.033(4)	0.008(4)
C(6)	4e	0.1456(4)	-0.1186(7)	0.2196(4)	0.068(4)	0.058(4)	0.061(4)	0.006(3)	0.034(4)	0.006(3)
C(7)	4e	0.1135(3)	-0.1342(6)	0.1345(3)	0.057(4)	0.057(4)	0.065(4)	0.000(3)	0.028(3)	0.002(3)
C(8)	4e	0.1497(3)	-0.0527(6)	0.0895(3)	0.055(4)	0.042(3)	0.051(4)	0.007(3)	0.022(3)	0.001(3)
C(9)	4e	0.2957(3)	0.0648(6)	0.0319(3)	0.048(3)	0.045(4)	0.056(4)	-0.006(3)	0.018(3)	0.002(3)
C(10)	4e	0.3711(4)	-0.0304(7)	0.0711(4)	0.058(4)	0.054(4)	0.064(4)	-0.010(3)	0.025(4)	-0.004(3)
C(11)	4e	0.4055(3)	-0.1111(6)	0.0239(4)	0.052(4)	0.061(4)	0.098(5)	-0.004(3)	0.033(4)	-0.006(4)
C(12)	4e	0.3656(4)	-0.1044(7)	-0.0628(4)	0.076(5)	0.072(5)	0.096(5)	-0.020(4)	0.057(4)	-0.014(4)
C(13)	4e	0.2911(4)	-0.0128(7)	-0.1003(4)	0.073(4)	0.080(5)	0.061(4)	-0.014(4)	0.032(4)	-0.001(4)
C(14)	4e	0.2558(4)	0.0719(7)	-0.0566(4)	0.063(4)	0.068(4)	0.063(4)	-0.012(3)	0.038(4)	-0.005(4)
C(15)	4e	0.1143(4)	0.3603(7)	0.0853(4)	0.078(5)	0.057(4)	0.073(5)	0.013(4)	0.037(4)	-0.007(4)
O(15)	4e	0.0728(2)	0.3278(5)	0.0107(2)	0.074(3)	0.097(3)	0.063(3)	0.008(3)	0.017(2)	-0.014(3)
C(16)	4e	0.0731(3)	0.4029(7)	0.1410(3)	0.102(5)	0.126(7)	0.091(5)	0.014(5)	0.045(4)	-0.019(5)
C(17)	4e	0.2961(4)	0.4362(8)	0.0632(4)	0.057(4)	0.072(5)	0.076(5)	0.002(4)	0.012(4)	0.018(4)
C(18)	4e	0.3473(4)	0.5282(7)	0.1465(4)	0.145(7)	0.100(6)	0.104(6)	-0.059(5)	-0.000(5)	0.010(5)
C(19)	4e	0.3625(4)	0.3930(6)	0.0323(4)	0.114(6)	0.057(5)	0.182(8)	0.003(4)	0.071(6)	0.009(5)
C(20)	4e	0.2293(4)	0.5542(7)	0.0045(4)	0.115(5)	0.077(5)	0.108(5)	0.004(5)	0.045(5)	0.016(5)
C(21)	4e	0.3315(3)	0.1720(6)	0.2703(3)	0.083(4)	0.068(4)	0.051(4)	0.001(4)	0.014(3)	-0.005(3)
C(22)	4e	0.1045(3)	-0.2029(7)	0.2676(3)	0.101(5)	0.100(6)	0.090(5)	-0.006(4)	0.057(4)	0.011(4)
C(23)	4e	0.1052(3)	-0.0723(6)	-0.0045(3)	0.055(3)	0.060(4)	0.056(4)	-0.010(3)	0.014(3)	-0.004(3)
C(24)	4e	0.4204(3)	-0.0403(6)	0.1653(3)	0.049(4)	0.074(5)	0.091(5)	0.014(3)	0.015(3)	0.002(4)
C(25)	4e	0.4049(3)	-0.1952(7)	-0.1117(3)	0.098(5)	0.117(6)	0.136(6)	-0.019(5)	0.081(5)	-0.035(5)
C(26)	4e	0.1758(3)	0.1674(6)	-0.1087(3)	0.074(4)	0.080(5)	0.052(4)	0.002(4)	0.024(3)	0.004(3)

Acknowledgments. We gratefully acknowledge financial support from the Deutsche Forschungsgemeinschaft (SFB 347) and the Fonds der Chemischen Industrie.

References

- Schmittel, M.; Heinze, J.; Trenkle, H.: Mesolytic Cleavage of the O-CO Bond in Enol Acetate Cation Radicals with Direct Formation of a-carbonyl Cations. *Mechanistic and Synthetic Aspects. J. Org. Chem.* **60** (1995) 2726-2733.
- Sheldrick, G. M.: Program Package SHELXTL-plus. Release 4.1. Siemens Analytical X-Ray Instruments Inc., Madison (WI 53719), USA 1990.