















- [7] Touloupoulou T., Picchioni M., Rijdsdijk F., Hua-Hall M., Ettinger U., Sham P., et al., Substantial genetic overlap between neurocognition and schizophrenia: genetic modeling in twin samples, *Arch. Gen. Psychiatry*, 2007, 64, 1348-1355
- [8] Lee S.H., Kim D.W., Kim E.Y., Kim S., Im C.H., Dysfunctional gamma-band activity during face structural processing in schizophrenia patients, *Schizophr. Res.*, 2010, 119, 191-197
- [9] Uhlhaas P.J., Singer W., Abnormal neural oscillations and synchrony in schizophrenia, *Nat. Rev. Neurosci.*, 2010, 11, 100-113
- [10] Bob P., Palus M., Susta M., Glaslova K., EEG phase synchronization in patients with paranoid schizophrenia, *Neurosci. Lett.*, 2008, 447, 73-77
- [11] Bob P., Susta M., Glaslova K., Boutros N.N., Dissociative symptoms and interregional EEG cross-correlations in paranoid schizophrenia, *Psychiatry Res.*, 2010, 177, 37-40
- [12] Bowie C.R., Leung W.W., Reichenberg A., McClure M.M., Patterson T.L., Heaton R.K., et al., Predicting schizophrenia patients' real-world behavior with specific neuropsychological and functional capacity measures, *Biol. Psychiatry*, 2008, 63, 505-511
- [13] Carrión R.E., Goldberg T.E., McLaughlin D., Auther A.M., Correll C.U., Cornblatt B.A., Impact of neurocognition on social and role functioning in individuals at clinical high risk for psychosis, *Am. J. Psychiatry*, 2011, 168, 806-813
- [14] Lin A., Wood S.J., Nelson B., Brewer W.J., Spiliotacopoulos D., Bruxner A., et al., Neurocognitive predictors of functional outcome two to 13 years after identification as ultra-high risk for psychosis, *Schizophr. Res.*, 2011, 132, 1-7
- [15] Lipkovich I.A., Deberdt W., Csernansky J.G., Sabbe B., Keefe R.S., Kollack-Walker S., Relationships among neurocognition, symptoms and functioning in patients with schizophrenia: a path-analytic approach for associations at baseline and following 24 weeks of antipsychotic drug therapy, *BMC Psychiatry*, 2009, 9, 44
- [16] Kurtz M.M., Neurocognition as a predictor of response to evidence-based psychosocial interventions in schizophrenia: what is the state of the evidence?, *Clin. Psychol. Rev.*, 2011, 31, 663-672
- [17] van Os J., Kenis G., Rutten B.P., The environment and schizophrenia, *Nature*, 2010, 468, 203-212
- [18] Lysaker P.H., Roe D., Yanos P.T., Toward understanding the insight paradox: internalized stigma moderates the association between insight and social functioning, hope, and self-esteem among people with schizophrenia spectrum disorders, *Schizophr. Bull.*, 2007, 33, 192-199
- [19] Walker E.F., Diforio D., Schizophrenia: a neural diathesis-stress model, *Psychol. Rev.*, 1997, 104, 667-685
- [20] Read J., Perry B.D., Moskowitz A., Connolly J., The contribution of early traumatic events to schizophrenia in some patients: a traumagenic neurodevelopmental model, *Psychiatry*, 2001, 64, 319-345
- [21] Green M.F., What are the functional consequences of neurocognitive deficits in schizophrenia?, *Am. J. Psychiatry*, 1996, 153, 321-330
- [22] Green M.F., Helleman G., Horan W.P., Lee J., Wynn J.K., From perception to functional outcome in schizophrenia: modeling the role of ability and motivation, *Arch. Gen. Psychiatry*, 2012, 69, 1216-1224
- [23] Frankl V., *Man's search for meaning*, Beacon Press, Boston, MA, USA, 1959/2006
- [24] May R., Angel E., Ellenberger H.F. (Eds.), *Existence: a new dimension in psychiatry and psychology*, Basic Books, New York, NY, USA, 1958
- [25] Dinsmore D.L., Alexander P.A., Loughlin S.M., Focusing the conceptual lens on metacognition, self-regulation, and self-regulated learning, *Educ. Psychol. Rev.*, 2008, 20, 391-409
- [26] Flavell J.H., Metacognition and cognitive monitoring: a new area of cognitive-developmental inquiry, *Am. Psychol.*, 1979, 34, 906-911
- [27] Tarricone P., *The taxonomy of metacognition*, Psychology Press, Taylor and Francis, East Sussex, UK, 2011
- [28] Lysaker P.H., Vohs J.L., Ballard R., Fogley R., Salvatore G., Popolo R., et al., Metacognition, self reflection and recovery in schizophrenia: review of the literature, *Fut. Neurol.*, 2013, 8, 103-115
- [29] Wells A., *Emotional disorders and metacognition: innovative cognitive therapy*, John Wiley and Sons, New York, NY, USA, 2000
- [30] Main M., Metacognitive knowledge, metacognitive monitoring, and singular (coherent) vs. multiple (incoherent) models of attachment: findings and directions for future research, In: Harris P., Stevenson-Hinde J., Parkes C. (Eds.), *Attachment across the life cycle*, Routledge, New York, NY, USA, 1991, 127-159
- [31] Semerari A., Carcione A., Dimaggio G., Falcone M., Nicolò G., Procaci M., et al., How to evaluate metacognitive function in psychotherapy? The metacognition assessment scale and its applications, *Clin. Psychol. Psychother.*, 2003, 10, 238-261
- [32] Dewey J., *The middle works, 1899-1924, Volume 14, Human nature and conduct, 1922*, Southern Illinois University Press, Carbondale, IL, USA, 2008
- [33] Dimaggio G., Vanheule V., Lysaker P.H., Carcione A., Nicolò G., Impaired self-reflection in psychiatric disorders among adults: a proposal for the existence of a network of semi independent functions, *Conscious Cogn.*, 2009, 18, 653-664
- [34] Bacon E., Huet N., Danion J.M., Metamemory knowledge and beliefs in patients with schizophrenia and how these relate to objective cognitive abilities, *Conscious Cogn.*, 2011, 20, 1315-1326
- [35] Fourneret P., de Vignemont F., Franck N., Slachevsky A., Dubois B., Jeannerod M., Perception of self-generated action in schizophrenia, *Cogn. Neuropsychiatry*, 2002, 7, 139-156
- [36] van 't Wout M., Aleman A., Bermond B., Kahn R.S., No words for feelings: alexithymia in schizophrenia patients and first-degree relatives, *Compr. Psychiatry*, 2007, 48, 27-33
- [37] Moritz S., Woodward T.S., Burlon M., Braus D., Andresen B., Attributional style in schizophrenia: evidence for a decreased sense of self-causation in currently paranoid patients, *Cogn. Ther. Res.*, 2007, 31, 371-383
- [38] Bennouna-Greene M., Berna F., Conway M.A., Rathbone C.J., Vidailhet P., Danion J.M., Self-images and related autobiographical memories in schizophrenia, *Conscious Cogn.*, 2012, 21, 247-257



- [39] Berna F., Bennouna-Greene M., Potheegadoo J., Verry P., Conway M.A., Danion J.M., Impaired ability to give a meaning to personally significant events in patients with schizophrenia, *Conscious Cogn.*, 2011, 20, 703-711
- [40] Raffard S., D'Argembeau A., Lardi C., Bayard S., Boulenger J.P., Van der Linden M., Narrative identity in schizophrenia, *Conscious Cogn.*, 2010, 19, 328-340
- [41] Moskowitz A., Association and dissociation in the historical concept of schizophrenia, In: Moskowitz A., Schafer I., Dorahy M.J. (Eds.) *Psychosis trauma and dissociation*, John Wiley and Sons, West Sussex, UK, 2008, 35-50
- [42] Bacon E., Danion J.M., Kauffmann-Muller F., Bruant A., Consciousness in schizophrenia: a metacognitive approach to semantic memory, *Conscious Cogn.*, 2001, 10, 473-484
- [43] Bacon E., Izaute M., Metacognition in schizophrenia: processes underlying patients' reflections on their own episodic memory, *Biol. Psychiatry*, 2009, 66, 1031-1037
- [44] Fournere P., de Vignemont F., Franck N., Slachevsky A., Dubois B., Jeannerod M., Perception of self-generated action in schizophrenia, *Cogn. Neuropsychiatry*, 2002, 7, 139-156
- [45] Koren D., Seidman L.J., Poyurovsky M., Goldsmith M., Viksman P., Zichel S., et al., The neuropsychological basis of insight in first-episode schizophrenia: a pilot metacognitive study, *Schizophr. Res.*, 2004, 70, 195-202
- [46] Koren D., Seidman L.J., Goldsmith M., Harvey P.D., Real-world cognitive – and metacognitive – dysfunction in schizophrenia: a new approach for measuring (and remediating) more "right stuff", *Schizophr. Bull.*, 2006, 32, 310-326
- [47] Lysaker P.H., Carcione A., Dimaggio G., Johannesen J.K., Nicolò G., Procacci M., et al., Metacognition amidst narratives of self and illness in schizophrenia: associations with insight, neurocognition, symptom and function, *Acta Psychiatr. Scand.*, 2005, 112, 64-71
- [48] Lysaker P.H., Dimaggio G., Buck K.D., Carcione A., Nicolò G., Metacognition within narratives of schizophrenia: associations with multiple domains of neurocognition, *Schizophr. Res.*, 2007, 93, 278-287
- [49] Hamm J.A., Renard S.B., Fogley R.L., Leonhardt B.L., Dimaggio G., Buck K.D., et al., Metacognition and social cognition in schizophrenia: stability and relationship to concurrent and prospective symptom assessments, *J. Clin. Psychol.*, 2012, 68, 1303-1312
- [50] Lysaker P.H., Ringer J.M., Buck K.D., Grant M., Olessek K., Luedtke B., et al., Metacognitive and social cognition deficits in patients with significant psychiatric and medical adversity: a comparison between participants with schizophrenia and a sample of participants who are HIV-positive, *J. Nerv. Ment. Dis.*, 2012, 200, 130-134
- [51] Lysaker P.H., Warman D.M., Dimaggio G., Procacci M., LaRocco V., Clark L.K., et al., Metacognition in prolonged schizophrenia: associations with multiple assessments of executive function, *J. Nerv. Ment. Dis.*, 2008, 19, 384-389
- [52] Delis D.C., Kaplan E., Kramer J.H., *Delis-Kaplan Executive Function System (D-KEFS): examiner's and technical manual*, The Psychological Corporation, San Antonio, TX, USA, 2001
- [53] Kay S.R., Fiszszbein A., Opler L.A., The positive and negative syndrome scale for schizophrenia, *Schizophr. Bull.*, 1987, 13, 261-276
- [54] Nicolò G., Dimaggio G., Popolo R., Carcione A., Procacci M., Hamm J., et al., Associations of metacognition with symptoms, insight, and neurocognition in clinically stable outpatients with schizophrenia, *J. Nerv. Ment. Dis.*, 2012, 200, 644-647
- [55] Rabin S. J., Hasson-Ohayon I., Avidan M., Rozencwaig S., Shalev H., Kravetz S., Metacognition in schizophrenia and schizotypy: relations to symptoms and social quality of life, *Isr. J. Psychiatry*, in press
- [56] McLeod H., Gumley A., Lysaker P.H., Schwannauer M., The contribution of metacognition to understanding the development and maintenance of negative symptoms, *Schizophr. Bull.*, 2013, 39 supplement 1, S300
- [57] Lysaker P.H., Dimaggio G., Carcione A., Procacci M., Buck K.D., Davis L.W., et al., Metacognition and schizophrenia: the capacity for self-reflectivity as a predictor for prospective assessments of work performance over six months, *Schizophr. Res.*, 2010, 122, 124-130
- [58] Luedtke B.L., Kukla M., Renard S., Dimaggio G., Buck K.D., Lysaker P.H., Metacognitive functioning and social cognition as predictors of accuracy of self-appraisals of vocational function in schizophrenia, *Schizophr. Res.*, 2012, 137, 260-261
- [59] Tas C., Brown E.C., Esen-Danaci A., Lysaker P.H., Brüne M., Intrinsic motivation and metacognition as predictors of learning potential in patients with remitted schizophrenia, *J. Psychiatr. Res.*, 2012, 46, 1086-1092
- [60] Lysaker P.H., Shea A.M., Buck K.D., Dimaggio G., Nicolò G., Procacci M., et al., Metacognition as a mediator of the effects of impairments in neurocognition on social function in schizophrenia spectrum disorders, *Acta Psychiatr. Scand.*, 2010, 122, 405-413
- [61] Lysaker P.H., Erickson M.A., Buck B., Buck K.D., Olessek K., Grant M.L., et al., Metacognition and social function in schizophrenia: associations over a period of five months, *Cogn. Neuropsychiatry*, 2011, 16, 241-255
- [62] Lysaker P.H., Dimaggio G., Daroyanni P., Buck K.D., LaRocco V.A., Carcione A., et al., Assessing metacognition in schizophrenia with the Metacognition Assessment Scale: associations with the Social Cognition and Object Relations Scale, *Psychol. Psychother.*, 2010, 83, 303-315
- [63] Westen D., Lohr N., Silk K., Gold L., Kerber K., Object relations and social cognition in borderlines, major depressives, and normals: a Thematic Apperception Test analysis, *Psychol. Assess.*, 1990, 2, 355-364
- [64] Davis L.W., Eicher A.C., Lysaker P.H., Metacognition as a predictor of therapeutic alliance over 26 weeks of psychotherapy in schizophrenia, *Schizophr. Res.*, 2011, 129, 85-90
- [65] Lysaker P.H., Dimaggio G., Buck K.D., Callaway S.S., Salvatore G., Carcione A., et al., Poor insight in schizophrenia: links between different forms of metacognition with awareness of symptoms, treatment need and consequences of illness, *Compr. Psychiatry*, 2011, 52, 253-260

- [66] Kukla M., Lysaker P.H., Salyers M. Do persons with schizophrenia who have better metacognitive capacity also have a stronger subjective experience of recovery?, *Psychiatry Res.*, 2013, pii: S0165-1781(13)00224-2
- [67] Lysaker P.H., McCormick B.P., Snethen G., Buck K., Hamm J., Grant M., et al., Metacognition and social function in schizophrenia: associations of mastery with functional skills competence, *Schizophr. Res.*, 2011, 131, 214-218
- [68] Patterson T.L., Goldman S., McKibbin C.L., Hughs T., Jeste D.V., UCSD performance based skills assessment: development of a new measure of everyday functioning for severely mentally ill adults, *Schizophr. Bull.*, 2001, 27, 235-245
- [69] Bob P., *Brain, mind and consciousness: advances in neuroscience research*, Springer Verlag, New York, NY, USA, 2011
- [70] Crick F., *The astonishing hypothesis. The scientific search for the soul*, Simon and Schuster, London, UK, 1994
- [71] Gabbard G.O., A neurobiologically informed perspective on psychotherapy, *Brit. J. Psychiatry*, 2000, 177, 117-122
- [72] Kandel E. R., *Biology and the future of psychoanalysis: a new intellectual framework for psychiatry revisited*, *Am. J. Psychiatry*, 1999, 156, 505-524
- [73] Rogers C., *The therapeutic relationship with schizophrenics*, The University of Wisconsin Press, Madison, WI, USA, 1967
- [74] Hasson-Ohayon I., Integrating cognitive behavioral-based therapy with an inter-subjective approach: addressing metacognitive deficits among people with schizophrenia, *J. Psychother. Integr.*, 2012, 22, 356-374
- [75] Lysaker P.H., Buck K.D., Caricione A., Procacci M., Salvatore G., Nicolò G., et al., Addressing metacognitive capacity for self reflection in the psychotherapy for schizophrenia: a conceptual model of the key tasks and processes, *Psychol. Psychother.*, 2011, 84, 58-69
- [76] Lysaker P.H., Buck K.D., Fogley R., Ringer J., Harder S., Hasson-Ohayon I., et al., The mutual development of intersubjectivity and metacognitive capacity in the psychotherapy for persons with schizophrenia with severe paranoid delusions, *J. Contemp. Psychother.*, 2013, 43, 63-72
- [77] Rosenbaum B., Harder S., Knudsen P., Køster A., Lindhardt A., Lajer M., et al., Supportive psychodynamic psychotherapy versus treatment as usual for first-episode psychosis: two-year outcome, *Psychiatry*, 2012, 75, 331-341
- [78] Salvatore G., Russo B., Russo M., Popolo R., Dimaggio G., Metacognition-oriented therapy for psychosis: the case of a woman with delusional disorder and paranoid personality disorder, *J. Psychother. Integr.*, 2012, 22, 314-329