

Contents

Preface — IX

List of abbreviations — XI

Dieter Bauer and Thomas Fennel

- I How to propagate a wavefunction? — 1**
- 1 Time-dependent Schrödinger equation — 2
- 1.1 Time propagation and stability — 3
- 1.2 Spatial discretization — 3
- 1.3 Imaginary-time propagation — 10
- 1.4 More dimensions: Operator splitting — 13
- 1.5 Expansion in spherical harmonics — 18
- 2 Scaled cylindrical coordinates — 36
- 3 Employing second-quantization notion — 38
- 3.1 Grid hopping — 40
- 4 Summary — 43

Dieter Bauer

- II Calculation of typical strong-field observables — 45**
- 1 Ionization rates — 45
- 2 Photoelectron spectra — 48
- 2.1 Energy window operator method — 50
- 2.2 Spectral method — 56
- 2.3 Time-dependent surface flux method — 64
- 2.4 Pros and cons of the various methods for photoelectron spectra — 68
- 3 Emitted radiation and high-harmonics spectra — 69

Heiko Bauke

- III Time-dependent relativistic wave equations: Numerics of the Dirac and the Klein–Gordon equation — 77**
- 1 From nonrelativistic to relativistic quantum mechanics — 77
- 1.1 Relativistic quantum mechanical equations of motion—a naive attempt — 77
- 1.2 The Klein–Gordon equation — 79
- 1.3 The Dirac equation — 82
- 2 Free particles and wave packets — 85
- 2.1 Free-particle solution of the Klein–Gordon equation — 85
- 2.2 Free-particle solution of the Dirac equation — 88

- 3 Numerical solution of the Dirac equation — **93**
- 3.1 General methods for time-dependent quantum mechanics — **93**
- 3.2 The split operator method — **97**
- 3.3 The Fourier split operator method for the Schrödinger equation — **99**
- 3.4 The Fourier split operator method for the Dirac equation — **101**
- 4 Numerical examples — **104**

Dieter Bauer

- IV Time-dependent density functional theory — 111**
- 1 A few general remarks on time-dependent many-particle methods — **112**
- 2 DFT for effective single-electron potentials — **114**
- 2.1 KS spin-DFT — **114**
- 2.2 Actual implementation — **121**
- 3 Time-dependent calculations — **128**
- 3.1 Time-dependent KS solver with spherical harmonics and multipole expansion — **129**
- 3.2 Low-dimensional benchmark studies — **134**
- 3.3 Where TDDFT fails in practice — **140**

Chris R. McDonald, Gisela Pöplau, and Thomas Brabec

- V The multiconfiguration time-dependent Hartree–Fock method — 145**
- 1 Multiconfiguration time-dependent Hartree–Fock — **146**
- 2 Implementing the MCTDHF method — **149**
- 2.1 Uniform grids — **149**
- 2.2 Computation of the mean-field operator — **150**
- 2.3 Restricted vs unrestricted — **151**
- 2.4 Time integration — **152**
- 2.5 Computing the ground state — **153**
- 3 Applications of MCTDHF — **153**
- 3.1 Calculation of highly correlated ground states — **153**
- 3.2 Nonsequential double ionization — **155**
- 3.3 High-harmonic generation — **157**
- 4 Extending MCTDHF to nonuniform grids — **158**
- 4.1 Differentiation on a nonuniform grid — **159**
- 4.2 Integration on nonuniform grids — **160**
- 4.3 Treatment of the two-body terms — **162**
- 4.4 Ground state of small sodium clusters — **163**
- 5 Conclusion — **165**

Stefan Pabst and Robin Santra

VI	Time-dependent configuration interaction singles — 169
1	Introduction — 169
2	Basics of TDCIS — 171
2.1	TDCIS wavefunction — 171
2.2	The N -body Hamiltonian — 173
2.3	Equations of motion — 175
2.4	Limitations — 176
3	Implementation of TDCIS — 177
3.1	Symmetries and orbital representations — 177
3.2	Evaluating matrix elements — 179
3.3	Spin-orbit interaction — 181
3.4	Grid representation — 183
3.5	Hartree-Fock — 184
3.6	Complex absorbing potential — 186
3.7	Expectation values — 187
3.8	Ion density matrix — 188
4	Strong-field applications of TDCIS — 189
4.1	Subcycle ionization dynamics and coherent hole motion — 189
4.2	Multiorbital and collective excitations in HHG — 195

Dejan B. Milošević

VII	Strong-field approximation and quantum orbits — 203
1	S -matrix elements — 204
2	Strong-field approximation — 206
3	Harmonic generation rate and ionization rate — 208
4	Ground-state wavefunctions, rescattering potential, and multielectron effects — 209
5	Numerical examples for harmonic and electron spectra — 211
6	Saddle-point method — 214
7	Classification of the saddle-point solutions — 216
8	Numerical results for HATI spectra obtained using the SPM and uniform approximation — 218
9	Quantum orbits — 220
10	Summary — 222

Christian Peltz, Charles Varin, Thomas Brabec, and Thomas Fennel

VIII	Microscopic particle-in-cell approach — 227
1	Basic concept — 228
1.1	Physical problem — 228

VIII — Contents

1.2	Particle representation —	229
1.3	PIC approximation —	230
1.4	MicPIC force decomposition —	230
1.5	The MicPIC approximation —	232
2	Numerical aspects of MicPIC —	233
2.1	Electromagnetic field propagation with the FDTD method —	233
2.2	Particle representation on the PIC level —	244
2.3	Local correction —	247
2.4	Particle propagation —	250
2.5	Implementation of ionization —	252
2.6	MicPIC parameters and scaling —	254
2.7	MicPIC system energy calculation —	256
3	Applications —	256
3.1	Laser excitation of a solid-density foil: A simple MicPIC example —	256
3.2	Time-resolved x-ray imaging —	259
4	Summary —	267

Index — 271