

# Index

- Abstract data type (ADT) 44, 54
- Activity diagram 91, 93, 95
- Agent-based programming paradigm 19
- Algorithm 30-40
  - Algorithm discreteness 30
  - Algorithm determinacy 30
  - Algorithm understandability 30
  - Algorithm effectiveness 30
  - Algorithm mass character 30
- Algorithm analysis 31
  - Dynamic program analysis 38
  - Program profiling 38
- Algorithm complexity 34-35
- Algorithm design 31, 72
  - Assignment statement 32
  - Comparison of numbers 32
  - Conditional jumps 32
  - Modular approach 33-34
  - Operational approach 31-32
  - Simple arithmetic operations 32
  - Structural approach 32-33
- Algorithmic complexity theory 34
  - Space complexity 34
  - Time complexity 34
- Algorithmic language 53
- Algorithmic paradigm 31
- Algorithmic efficiency 36
- Algorithmics 30-31
  - Science of algorithms 30-31
- Algorithmic problems 19
- Applied computational linguistics 16
- Applied computer science 8
- Applied informatics 8
  - Computer engineering 11-12, 16
  - Cybernetics 3, 8, 10-11, 15, 19, 31
  - Programming 3, 52-60
  - Social informatics 3, 12
  - Technical cybernetics 10
  - Mathematical and applied linguistics 11
- Architecture-centered approach 95
- Architectural design 72
- Architecture framework 94
- Architecture of information system 94
- Architecture of software 64-65, 94-95, 100, 105
  - Library architecture of program 64
  - Framework architecture of program 64-65
- Areas of computer science 7-8
- Areas of informatics 8-9
- Artificial intelligence 11-12, 14-16, 18
  - Machine learning 49-50
- Assembly languages 52
- Automatic control theory 10
- Axiomatic semantics 59
- BPMN symbols 97-98
- Big data 14, 17, 47, 49, 50
- Big-O notation 39
- Bit 21-22
- Business information system 96
- Business intelligence 47-48, 82
- Business process model 96-99
- Business process modeling 96-99
- Business process-modeling notation (BPMN) 97-98
- Business process reengineering (BPR) 99-100
- Byte 21-22
- CASE environment 75
- CASE tools 74-75
- Channel encoding 24
- Character set 57
- Class diagram 91-92
- Coding theory 9, 24-25
  - Data compression 20, 24
  - Error correction 24
  - Source encoding 24
- Cognition 28
- Cognitive psychology 6, 11
- Communication channel 73, 79, 84
- Compile process 61
- Component diagram 93-94
- Computational complexity theory 8, 36-37
  - Classes of complexity 37
  - Complete problem 38
- Computational linguistics 6, 16-17
- Computational semiotics 27-28
- Computer-aided software engineering (CASE) 73
- Computer engineering 11-12, 16
- Computer science 11, 13-16, 18, 20, 22
  - Applied computer science 8
  - Areas of computer science 7-8
  - Datalogy 1, 41
  - Theoretical computer science 2-3, 8-9, 11, 13-14, 18
- Conceptual representation 89
- Cost of the operation 40

- Cybernetics 3, 8, 10-11, 15, 19, 31
- Data 41-51
  - Indirect data 41-42
  - Metadata 42
  - Primary data 42, 85
- Data analysis 45-48
  - Bayesian data analysis 47
  - Exploratory data analysis approach 46
- Data analysis process 46
- Data analytics 45-51
- Database 85-87
  - Entity relationship diagram 86-87
  - Open database connectivity (ODBC) 86
  - Structured query language (SQL) 87
- Database management system (DBMS) 85, 87
- Data channel 11
- Data compression 20, 24
- Data driven design 41
- Data flow diagram 48, 88
- Data integration 43
- Datalogy 1, 41
- Data mining 47-51
  - Business intelligence 47-48, 82
  - Data archeology 48
  - Data pattern analysis 48
  - Knowledge discovery in databases 48
  - Knowledge extraction 48
  - Text data mining 49
  - Text mining 49-51
- Data science 41-51
  - Raw data 41-42, 45-46, 48
- Data source 23, 41-43, 49-50, 84
  - Original source 41
  - Secondary source 41-42
- Data structure 2, 8, 31, 34, 41, 43-45, 62, 72, 106
  - Array (data structure) 43, 44, 62
  - Graph data structure 44
  - Hierarchical data structures 44
  - Linear data structure 44
  - Record 45
- Data type 43-44, 53-54, 61, 63
  - Abstract data type (ADT) 44, 54
  - Primitive data types 43
  - Built-in data types 43
  - Compound data types 43-44
- Data warehouse 11
- Declarative programming 54
- Delimiter 57-58
- Denotational semantics 59
- Deployment diagram 91, 94-95
- Development platform 63, 90
- Distributed computation 14
- Documentology 11
- Domain-specific programming environment 64
- Dynamic program analysis 38
- Effective programming 61
- Efficiency of algorithms 36
- Electronics 15-16
  - Computer engineering 11-12, 16
  - Electrical engineering 11, 16, 20, 24
  - Semiconductor electronics 16
  - Solid-state electronics 16
- Enterprise resource planning (ERP) 101
- Entity relationship diagram 86-87
- Error correction 24
- Exabyte 22
- Expression 32, 50, 53, 56-62
- Flow of control 52, 64, 93
- Framework architecture of program 64-65
- Function point analysis 102
  - Data functions 103
  - Transactional functions 103
- General systems theory 9
- Game theory 10, 13
- Gigabyte 22
- Growth function 39
- Hartley 21, 23
- High-level compiled programming language 53
- History of informatics 3-6
  - People in the history 6-7
- Human-computer interaction (HCI) 6, 18, 27, 104, 106
- Human factors 103-105
- Identifier 32, 57-58
- Imperative programming 54
- Indirect data 41-42
- Informatics 1-3
  - History of informatics 3-6
  - Informatics in the natural sciences 12
  - Theoretical and applied informatics 8-12
  - Theoretical informatics 9-10
- Informatics and cybernetics 10, 15
- Informatics and economics 18-19
  - Business informatics 18
- Informatics and electronics 15-16
- Informatics and linguistics 16-17
  - Applied computational linguistics 16
  - Computational linguistics 6, 16-17
  - Language engineering 16
  - Natural language processing 17, 49-50

- Informatics and mathematical logic 14-15
- Informatics and mathematics 13-14
  - Discrete mathematics 3, 9, 13
  - Combinatorics 8, 13
  - Graph theory 13
- Informatics and psychology or sociology 17-18
- Informatik 1, 18
- Information 1, 21-24
  - Quantities of information 21-24
  - Units of computer information 21-22
- Information engineering 72, 84
- Information flow 84, 92
- Information model 73, 89
- Information sharing 7
- Information system 84-85
  - Documentology 11
  - Enterprise resource planning (ERP) 101
  - Intelligent information systems 85
  - Intelligent decision support system 85
  - Workflow management system 100
- Information technology (IT) 96, 99-100
- Information theory 9, 15, 19-21
  - Mathematical information theory 20
- Informatique 1
- Interaction designer 105
- Integrated design environment (IDE) 63
- Intelligent code completion 63
- Interactive development environment (IDE) 63
- Interface control document (ICD) 73
- Interface design 73-74
- IT infrastructure 101-102
- IT project 75-83, 102
  - Scope of IT project 77
- IT project life cycle 77-78, 82
  - ITIL framework 81
  - Projects in controlled environments (PRINCE2) 79-80
  - Scrum process 69, 80
- IT team 81-82
- IT manager 81-83
- IT project management 76-77, 79
- Kilobyte 22
- Knowledge 26-29, 41-42, 45-50
- Knowledge discovery in databases 48
- Knowledge discovery process 48
- Knowledge engineering 84-85
  - Organizational knowledge 85
- Knowledge extraction 48
- Knowledge representation 27, 42, 85
- Language design 61
- Language engineering 16
- Library architecture of program 64
- Life cycle of software 66-69
- Lines of code (LOC) 102
- Logic 14-15
- Machine learning 49-50
- Markup language 55
- Mathematics 13-14
  - Informatics and mathematics 13-15
  - Complexity theory 8, 36-37
  - Topology 13, 95
- Mathematical and applied linguistics 11
- Mathematical cybernetics 15
- Mathematical information theory 20
- Mathematical logic 9, 13-14
- Mathematical optimization 10
- Mathematical programming 10
- Megabyte 22
- Metadata 42
  - Metadata schema 42
  - Metadata vocabulary 42
- Modular approach 33-34
- Natural language processing 17, 49-50
- Object 44, 53-54, 62, 63-64
  - Software object 44
- Object-oriented paradigm 44
- Object-oriented programming (OOP) 54, 56
- Online algorithm 13
- Ontological (conceptual) model 42, 74
- Open database connectivity (ODBC) 86
- Operational approach 31-32
- Operational semantics 59
- Operations research 10
- People in the history of computing 6-7
- Petabyte 22
- Primary data 42, 85
  - Raw facts 85
- Procedural programming 54
- Program library 63-64
  - Static library 64
  - Dynamic library 64
- Programming 3, 52-60
  - Declarative programming 54
  - Imperative programming 54
  - Object-oriented programming (OOP) 54, 56
  - Structured programming 7, 14, 54
- Programming environment 62-64
  - Domain-specific programming environment 64

- Programming language 52-62
  - Algorithmic language 31, 53
  - Assembly languages 52
  - Functional language 54
  - High-level compiled programming language 53
  - Imperative language 54
  - Logical language 53
  - Markup language 55
  - Object-oriented language 44, 53-54, 62
  - Scripting language 55
  - Structured query language (SQL) 53, 87
- Programming language semantics 58-60
  - Axiomatic semantics 59
  - Denotational semantics 59
  - Operational semantics 59
- Programming language syntax 56-58
  - Character set 57
  - Delimiter 57
  - Expression 57
  - Identifier 57
  - Reserved word 57
  - Statement 57
  - Terminal symbol 57
- Programming paradigm 19, 33, 52-53, 55, 63
  - Agent-based programming paradigm 19
- Program profiling 38
- Quantities of information 21-24
- Rapid software development (RAD) 73
- Rational unified process (RUP) 69-71
- Record 45, 86-87
- Reserved word 57
- Raw data 41-42, 45-46, 48
  - Unprocessed data 41
- Science of algorithms 30-31
  - Algorithmics 30-31
- Scripting language 55
- Scope of IT project 77
- Scrum process 69, 80
- Semiotics 25-27
  - Computational semiotics 27-29
- Sequence diagram 92
- Sign 27-29
  - Sign of possibility (rheme) 29
  - Sign of fact (dicent) 29
  - Sign of reason (argument) 29
- Simple arithmetic operations 32
- Simulation 10
- Social informatics 3, 12
- Software architect 34, 72
- Software configuration management 63
- Software design 66, 71-72
- Software development effort estimation 103
- Software development environment (SDE) 63
  - CASE environment 75
- Software development process 66-69
  - Rational unified process (RUP) 70-71
- Software development process model 67
- Software engineering 69, 73
  - Computer-aided software engineering (CASE) 73-75
  - CASE tools 75
  - Rapid software development (RAD) 73
  - User centered development methodology 106
- Software framework 63-64
- Software measurement 102-103
  - Thousands of lines of code (KLOC) 102
  - Lines of code (LOC) 102
- Software object 44, 53-54, 62, 63-64
- Software requirements specification (SRS) 66
- Software sizing 103
- Source encoding 24
- Space complexity 34
- Statement 32, 36, 39, 48
- Structural approach 32-33
- Structural (physical) data model 42
- Structural programming 33
- Structured systems analysis and design method (SSADM) 89
- Structured programming 7, 14, 54
- Subroutine call 32, 38
- Symbolic logic 14
- System analysis 9
- Terabyte 22
- Terminal symbol 57
- Text data mining 49
- Text mining 49-51
- Theoretical and applied informatics 8-12
- Theoretical computer science 2-3, 8-9, 11, 13-14, 18
- Theoretical informatics 9-10
  - Simulation 10
  - System analysis 9
  - General systems theory 9
  - Game theory 10, 13
  - Mathematical optimization 10
  - Mathematical programming 10
  - Operations research 10
- Theory of collective behavior 10

- Theory of computation 7-9, 37
- Theory of games and special behavior 10
- Theory of information 9, 11, 20
- Thousands of lines of code (KLOC) 102
- Time complexity 34
- Toolkit environment 63
- Transformation of information 1
- Transmission of information 9
- Units of computer information 21-22
- Unified modeling language (UML) 89-94
  - Activity diagram 91, 93, 95
  - Class diagram 91-92
  - Component diagram 93-94
  - Deployment diagram 91, 94-95
  - Sequence diagram 92
  - Use case diagram 91
- Universal modeling language (UML) 89-94
- Unprocessed data 41
- Usability engineer 105
- User centered development methodology 106
- User experience specialist 105
- Visual programming 51, 63
- Workflow management system 100
- Workflow reference model 100