

Index

- abstinent 33, 37, 38, 51, 63
- adverse health behaviour 104
- adverse nutrition behaviour 57, 59, 60, 86, 88
- aerobic exercise 19
- alcohol consumption 19, 20, 28, 29, 30, 35, 36, 37, 38, 39, 41, 43, 51, 54, 58, 63, 64, 65, 90, 91, 92, 95, 102, 103, 104, 106, 108, 110, 111, 112, 121
- alcohol drinking 19, 121
- alcohol portions 37
- alcohol self-efficacy 77, 92, 95, 103
- ambivalent Health Behaviour Profile 38
- average Health Behaviour Profile 39

- beneficial behaviours 54, 72, 104, 108
- beneficial health behaviour 54, 104
- beneficial Health Behaviour Profile 39
- beneficial lifestyle 99
- beneficial nutrition behaviours 56, 60, 85
- binge alcohol consumption 52, 64, 104
- binge drinking 37, 42, 54, 56, 95, 103, 105
- biological indices 33
- biomedical model 4
- biomedical studies 31, 34
- BMI (Body Mass Index) 33, 34, 35, 39, 58, 69, 70, 78, 79, 80, 81, 82, 83, 85, 86, 87, 88, 89, 90, 91, 98, 100, 105, 109, 110
- body composition 21, 112

- Chance Health Locus of Control 36, 58, 70, 71, 78, 83, 92, 93, 94, 97, 100, 102, 103, 104, 106, 109
- chi-square test 41
- chronic diseases 4, 28, 34, 35, 39, 83, 114, 115
- civilisation-related diseases 4
- clusters 18, 33, 41, 54, 56, 57, 58, 105, 108, 109, 118
- clusters of health behaviours 33, 108
- co-occurrence of health behaviours 41, 108

- destructive Health Behaviour Profile 38
- determinants of health 1, 11, 42, 45, 72, 80, 92
- diet 1, 6, 19, 23, 25, 26, 37, 38, 47, 48, 56, 57, 72, 85, 87, 94, 98, 99, 100, 105, 106, 112, 114, 116, 117, 119, 122
- Diffusion of Innovations Theory 17
- eating habits 37, 53, 99, 100, 118

- Epsilon-squared effect size 41
- eta squared effect size 41, 79
- exercise behaviour 98
- exercise recommendations 21
- expectancy-reinforcement model 31
- ex-smoker 38, 88, 94

- first health revolution 3
- food pyramid 26, 125
- future health professionals VI, 2, 96, 108

- Golden Chart of Property Nutrition 26

- HAPA 12, 14, 15 see: Health Action Process Approach
- Health Action Process Approach 12
- health as a personal value 58, 69, 72, 76, 94
- health as a value 36
- health behaviour 1, 5, 6, 7, 8, 9, 11, 14, 17, 18, 19, 20, 30, 31, 33, 35, 36, 38, 41, 42, 43, 45, 48, 50, 52, 53, 54, 68, 70, 71, 72, 76, 78, 80, 83, 92, 93, 95, 96, 99, 100, 104, 105, 107, 108, 109, 115, 119, 120, 123
- health behaviour clusters 33, 109
- Health Behaviour Profiles 33, 35, 38, 44, 68, 69, 106, 108, 109
- health care 4, 10, 19, 31, 100, 105, 106, 109, 123
- health determinants 2, 80
- health education 13, 31, 45, 114
- health-enhancing behaviour 38, 68, 106
- health indicators 19, 20, 99, 115
- health literacy 10
- health locus of control 33, 35, 58, 69, 72, 77, 80, 81, 92, 93, 94, 95, 98, 100, 104, 105, 109, 124
- health professionals VI, 1, 2, 12, 15, 16, 19, 28, 30, 40, 96, 103, 104, 108, 109
- health profiles 33
- health promotion VI, 1, 2, 4, 5, 10, 19, 53, 96, 105, 107, 109, 118, 124
- health promotion programmes 2, 105, 107
- health recommendations 29, 45, 53, 81, 104
- health-related behaviour 4, 6, 17, 18, 113
- health-related self-efficacy 35
- health-specific self-efficacy 72, 80, 92
- health status 3, 125
- health valuation 33, 93, 107, 109

- health workers 6, 31
 healthy lifestyle 2, 10, 26, 97, 109, 113, 120, 121, 124
 heavy alcohol consumption 38, 63
 hierarchy of values 72, 80, 81, 105
 high-risk drinking 29, 37
 human behaviour 3, 4, 5, 6, 15, 16
- Internal Health Locus of Control 35, 58, 71, 72, 77, 92, 93, 94, 98, 100, 103, 106
 International Physical Activity Questionnaire 33, 36
 intervention 12, 14, 18, 52, 105, 107, 109, 122, 125
 IPAQ 33, 36, 44, 81, 116 see: International Physical Activity Questionnaire
- Kruskal-Wallis test 41, 73
- level of drinking 29
 lifestyle 1, 2, 4, 8, 10, 11, 23, 26, 33, 36, 41, 43, 45, 53, 54, 56, 72, 78, 80, 96, 99, 106, 107, 109, 111, 113, 116, 117, 119, 120, 121, 122
 logistic regression 42, 81, 82, 84, 88, 90, 91, 92
- Mann-Whitney U test 41, 73
 mediation analysis 41, 42, 43, 92, 93, 94, 115, 125
 mediator role 33, 92, 93, 94, 95, 109
 medical behaviour 6
 medical personnel 31, 33, 35, 43, 47, 48, 96, 99, 100, 105, 108, 109
 medical staff 2, 12, 26, 31, 96, 97, 98, 101, 103, 108, 109
 medical students 40, 44, 48, 50, 52, 53, 54, 58, 62, 65, 67, 68, 77, 86, 88, 92, 97, 98, 101, 102, 104, 108, 118
 medical workers 31
 mental health 21, 120
 moderate alcohol consumption 37, 38, 64
- non-parametric tests 41
 non-smokers 62, 66, 67, 105
 nurse 34, 45, 50, 82, 85, 87, 89, 91
 nutrition 3, 13, 19, 20, 22, 23, 25, 35, 36, 37, 38, 41, 43, 45, 48, 49, 53, 54, 56, 57, 58, 59, 60, 63, 64, 65, 66, 67, 68, 72, 77, 78, 83, 84, 85, 86, 87, 88, 93, 94, 95, 98, 100, 104, 106, 108, 109, 112, 114, 118, 119, 121, 122
 Nutrition Index 33, 47, 49
- nutrition pyramid 25
 nutrition self-efficacy 72, 77, 86, 88, 93, 100
 nutrition status 36, 64, 65, 66, 68, 104
- obese 39, 96, 100, 121
 one-way analysis of variance 41
 Other Participatory Models 17
 overweight 39, 47, 58, 70, 78, 80, 82, 85, 86, 87, 88, 100, 105, 107, 115
- PAPM 12, 14 see: Precaution Adoption Process Model
- passive Health Behaviour Profile 38
 physical activity 13, 19, 20, 21, 22, 23, 26, 35, 36, 38, 41, 43, 44, 45, 53, 54, 56, 58, 59, 60, 61, 62, 63, 72, 77, 78, 81, 83, 84, 85, 88, 93, 96, 97, 98, 99, 100, 104, 105, 106, 108, 109, 111, 112, 113, 114, 115, 117, 118, 119, 120, 122, 123, 124
 physical activity recommendations 111
 physical activity self-efficacy 72, 77, 81, 83, 93
 physician 34, 45, 82, 83, 85, 86, 87, 88, 89, 91, 101, 110, 115, 116, 121
 physiotherapist 34, 78, 82, 85, 86, 87, 88, 89, 91, 97
 physiotherapy student 34, 40, 43, 44, 47, 48, 53, 54, 58, 60, 62, 65, 68, 72, 76, 77, 80, 83, 97, 98, 99, 102, 108
- Powerful Others Health Locus of Control 36, 70, 77, 88, 92, 93, 94, 95, 98, 100, 102, 103
 Precaution Adoption Process Model 12, 124
 prevention 6, 8, 45, 50, 103, 111, 113, 114, 115, 118, 120, 121
 promotional activities 1
 promotion programme VI, 2, 96, 98, 100, 105, 107
- quality of life 21, 96, 110
- role models VI, 1, 15, 16, 30, 96, 99, 105
- SCT 15, 16 see: Social Cognitive Theory
 second health revolution 4
 sedentary lifestyle 53, 117
 self-efficacy 14, 16, 18, 33, 35, 72, 76, 80, 81, 83, 85, 86, 87, 88, 90, 92, 93, 94, 95, 98, 100, 102, 103, 106, 109, 110, 111, 114, 122, 123, 124

- self-rated health 33, 34, 36, 58, 69, 70, 72, 76, 80, 81, 83, 86, 90, 98, 100, 105, 107, 109, 111, 119, 124, 125
- sick-role behaviour 7
- smoking 6, 13, 19, 20, 26, 27, 28, 33, 35, 36, 37, 38, 41, 43, 50, 52, 54, 56, 57, 58, 61, 62, 66, 67, 77, 88, 89, 90, 94, 95, 96, 101, 102, 104, 105, 106, 108, 109, 111, 112, 113, 114, 117, 120, 122, 123, 124
- smoking self-efficacy 77, 90, 94, 102
- Snowball Sampling method 40
- Social Cognitive Theory 15, 31
- social determinants 31, 80, 97, 100, 108
- Social Learning Theory 16
- self-rated health 33, 34, 36, 73
- Stages of Change (Transtheoretical) Model 12
- standard drinks 37
- statistical analyses 34
- subjective determinants 2, 72, 76, 102, 103, 105
- The Communication Theory 17
- Theory of Planned Behaviour 12, 115
- Theory of Triadic Influence 17, 92, 104
- tobacco use 19, 26, 54
- TTI 17, 18, 31, 92 see: Theory of Triadic Influence
- TTM 12, 13, 14 see: Stages of Change (Transtheoretical) Model
- Tukey test 41
- two-way ANOVA 41, 59, 61, 62, 63, 64, 65, 66, 68
- underweight 39, 58, 82, 83, 85, 87, 91, 105, 107
- waist circumference 34, 35, 39, 78, 80
- Waist-hip Ratio 34, 35
- well-being 10, 21, 26, 115, 121, 123