

HOLZFORSCHUNG

INTERNATIONAL JOURNAL OF THE BIOLOGY, CHEMISTRY,
PHYSICS AND TECHNOLOGY OF WOOD

EDITOR-IN-CHIEF

Oskar Faix, Germany

EDITORIAL BOARD

*G. Daniel, Sweden
H. Miltz, Germany
T. Rosenau, Austria*

*L. Salmén, Sweden
H. Sixta, Austria
T. Vuorinen, Finland*

ADVISORY BOARD

*D.S. Argyropoulos, USA
M.Y. Balakshin, Canada
J. Barnett, UK
R. Berry, Canada
I. Burgert, Germany
R. Evans, Australia
D.V. Evtuguin, Portugal
C.E. Frazier, USA
K. Fukushima, Japan
G. Gellerstedt, Sweden
W. Gindl-Altmutter, Austria
W.G. Glasser, USA
C. Heitner, Canada
B. Holmbom, Finland
A. Isogai, Japan
J.F. Kadla, Canada
M. Kleen, Finland
G. Koch, Germany
D. Lachenal, France*

*S.D. Mansfield, Canada
J.J. Morrell, USA
M. Müller, Germany
P. Niemz, Switzerland
A. Pizzi, France
A.J. Ragauskas, USA
J. Ralph, USA
R.W. Rice, USA
J.-G. Salin, Finland
U. Schmitt, Germany
T.P. Schultz, USA
M. Schwanninger, Austria
J. Sipilä, Finland
T. Tamminen, Finland
L. Viikari, Finland
J. Welling, Germany
S.M. Willför, Finland
H. Yoshihara, Japan*

DE GRUYTER

ABSTRACTED/INDEXED IN Academic OneFile (Gale/Cengage Learning); Aerospace & High Technology Database; Aluminium Industry Abstracts; CAB Abstracts; Ceramic Abstracts/World Ceramic Abstracts; Chemical Abstracts and the CAS databases; Computer & Information Systems Abstracts; Copper Data Center Database; Corrosion Abstracts; CSA / ASCE Civil Engineering Abstracts; CSA Illustrata-Natural Sciences; Current Contents/Agriculture, Biology, and Environmental Sciences; Earthquake Engineering Abstracts; Electronics & Communications Abstracts; EMBiology; Engineering Information: Compendex; Engineering Information: PaperChem; Paperbase; Engineered Materials Abstracts; Journal Citation Reports/Science Edition; Materials Business File; Materials Science Citation Index; Mechanical & Transportation Engineering Abstracts; METADEX; Science Citation Index; Science Citation Index Expanded (SciSearch); Scopus; Solid State & Superconductivity Abstracts; VINITI: All-Russian Institute of Scientific and Technical Information.

The publisher, together with the authors and editors, has taken great pains to ensure that all information presented in this work (programs, applications, amounts, dosages, etc.) reflects the standard of knowledge at the time of publication. Despite careful manuscript preparation and proof correction, errors can nevertheless occur. Authors, editors and publisher disclaim all responsibility for any errors or omissions or liability for the results obtained from use of the information, or parts thereof, contained in this work.

The citation of registered names, trade names, trademarks, etc. in this work does not imply, even in the absence of a specific statement, that such names are exempt from laws and regulations protecting trademarks etc. and therefore free for general use.

ISSN 0018-3830 · e-ISSN1437-434X · CODENHOLZAZ

All information regarding notes for contributors, subscriptions, Open access, back volumes and orders is available online at www.degruyter.com/hfh.

RESPONSIBLE EDITOR(S) Prof. Dr. Oskar Faix, Kornblumenweg 12, 21509 Glinde/Germany, Tel.: 040 7110866, Email: o.faix@holz.uni-hamburg.de

JOURNAL MANAGER Ingrid Grünberg, De Gruyter, Genthiner Straße 13, 10785 Berlin, Germany, Tel.: +49 (0)30 260 05 – 245, Fax: +49 (0)30 260 05 – 325, Email: Holzforschung.editorial@degruyter.com

RESPONSIBLE FOR ADVERTISEMENTS Panagiota Herbrand, De Gruyter, Rosenheimer Straße 143, 81671 München, Germany, Tel.: +49 (0)89 769 02 – 394, Fax: +49 (0)89 769 02 – 350, Email: panagiota.herbrand@degruyter.com

© 2013 Walter de Gruyter GmbH, Berlin/Boston

TYPESETTING Compuscript Ltd., Shannon, Ireland

PRINTING Franz X. Stückle Druck und Verlag e.K., Ettenheim

Printed in Germany



Contents

Reviews

Martin Rhême, John Botsis, Joël Cugnoni and Parviz Navi
Influence of the moisture content on the fracture characteristics of welded wood joint. Part 1: Mode I fracture — 747

Martin Rhême, John Botsis, Joël Cugnoni and Parviz Navi
Influence of the moisture content on the fracture characteristics of welded wood joint. Part 2: Mode II fracture — 755

Original Articles

Chen Qu, Takao Kishimoto, Masahiro Hamada and Noriyuki Nakajima
Molecular weight distributions of acetylated lignocellulosic biomasses recovered from an ionic liquid system — 721

Wenming He, Hui ren Hu and Wang Li
Multivariate-parameter optimization of the alkaline peroxide mechanical pulp (APMP) process for larch (*Larix gmelinii* Rupr.) using Box-Behnken design — 727

Dinesh Fernando, Dmitri Gorski, Marc Sabourin and Geoffrey Daniel
Characterization of fiber development in high- and low-consistency refining of primary mechanical pulp — 735

Ingela Bjurhager, E. Kristofer Gamstedt, Daniel Keunecke, Peter Niemz and Lars A. Berglund
Mechanical performance of yew (*Taxus baccata* L.) from a longbow perspective — 763

Lazaros Iliadis, Shawn D. Mansfield, Stavros Avramidis and Yousry A. El-Kassaby
Predicting Douglas-fir wood density by artificial neural networks (ANN) based on progeny testing information — 771

Anti Rohumaa, Christopher G. Hunt, Mark Hughes, Charles R. Frihart and Janne Logren
The influence of lathe check depth and orientation on the bond quality of phenol-formaldehyde – bonded birch plywood — 779

Hisashi Miyafuji and Yoshiyuki Fujiwara
Fire resistance of wood treated with various ionic liquids (ILs) — 787

Rie Endo and Junji Sugiyama
Evaluation of cell wall reinforcement in feather keratin-treated waterlogged wood as imaged by synchrotron X-ray microtomography (μ XRT) and TEM — 795

Goran Milić, Branko Kolin, Aleksandar Lovrić, Nebojša Todorović and Ranko Popadić
Drying of beech (*Fagus sylvatica* L.) timber in oscillation climates: drying time and quality — 805

Wei Xue, Pierre Kennepohl and John N.R. Ruddick
Quantification of mobilized copper(II) levels in micronized copper-treated wood by electron paramagnetic resonance (EPR) spectroscopy — 815

Anna-Kaisa Anttila, Anna Maria Pirttilä, Hely Häggman, Anni Harju, Martti Venäläinen, Antti Haapala, Bjarne Holmbom and Riitta Julkunen-Tiitto
Condensed conifer tannins as antifungal agents in liquid culture — 825

Meetings — 833