

UDC 595.44.4 (477)

THE FIRST RECORD OF THE SALTICID SPIDERS *SIBIANOR LARAE* AND *S. TANTULUS* (ARANEI, SALTICIDAE) IN UKRAINE

K. V. Evtushenko

Schmalhausen Institute of Zoology, NAS of Ukraine,
vul. B. Khmelnytskogo, 15, Kyiv, 01601 Ukraine
E-mail: evt@izan.kiev.ua

The First Record of the Salticid Spiders *Sibianor lae* and *S. tantulus* (Aranei, Salticidae) in Ukraine.
Evtushenko, K. V. — Two species of salticid spiders *Sibianor lae* Logunov, 2000 and *S. tantulus* (Simon, 1868) were revealed as a result of verification of collected samples from the forest zone of Ukraine. The redefined specimens were previously identified as *S. aurocinctus* (Ohlert, 1865). Specimens of *S. aurocinctus* were not found in the material. Geographic coordinates of localities and description of *S. lae* and *S. tantulus* habitats are provided.

Key words: Salticidae, *Sibianor*, Ukraine.

Первые находки сальтицидных пауков *Sibianor lae* и *S. tantulus* (Aranei, Salticidae) в Украине.
Евтушенко К. В. — Два вида сальтицидных пауков *Sibianor lae* Logunov, 2000 и *S. tantulus* (Simon, 1868) были выявлены в результате проверки коллекционного материала из лесной зоны Украины. Переопределённые экземпляры ранее указывались как *S. aurocinctus*. Особи *S. aurocinctus* в материале не выявлены. Приведены географические координаты местонахождений и характеристика местообитаний *S. lae* and *S. tantulus* в Украине.

Ключевые слова: Salticidae, *Sibianor*, Украина.

So far the salticid genus *Sibianor* (Aranei, Salticidae) was presented in the checklist of the spiders of Ukraine by single species *Sibianor aurocinctus* (Ohlert, 1865) (Mikhailov, 2013; Polchaninova, Prokopenko, 2013; Platnick, 2014). After the first description (Logunov, 2000) and the publication of data on the distribution of closely related species *S. aurocinctus* species *Sibianor lae* Logunov, 2000 in Europe (Keer van, et al., 2010; Staudt, 2011; Vogels, 2012), my collected samples from the forest zone of Ukraine were verified. As a result of redefinition it was established that all published data on *S. aurocinctus* for the Ukrainian Polissia (*Bianor aurocinctus*) (Evtushenko 1991, 1992 a, b, 1993, 2013; Polchaninova, Prokopenko, 2013) were based on misidentifications. The collected spiders belong to two species: *S. lae* Logunov, 2000 and *S. tantulus* (Simon, 1868). Specimens of *S. aurocinctus* were not found in the collected material. To correct this mistake, data on the collecting localities and list of specimens have been provided here.

Sibianor lae Logunov, 2000

Material. 1 ♂, Volyn Area, Shatsky National Nature Park, Shatsk District, Svityaz Vil., 51°28'33" N, 23°47'37" E, sphagnum bog, pitfall, 29.05.1990 (Evtushenko); 1 ♀, Chernyhiv Area, Ripky district, Grybova Rudnya Vil., 51°56'54" N, 31°08'10" E, swamped pine-birch forest, on the sphagnum hummock, 31.06.1985 (Evtushenko).

Salticid spider *S. lae* is a Palearctic species (Platnick, 2014). In the first description D. Logunov (2000) characterized this species as Euro-Siberian temperate species distributed in Fennoscandia and Estonia, through the middle Urals and Siberia, eastward to Sakhalin (Logunov, 2000). Also *S. lae* was registered in Belgium (Keer van et al., 2010), Sweden (Logunov, 2000; Almquist, 2006), Germany (Keer van et al., 2010; Staudt, 2011), Netherlands (Vogels, 2012). Notably, the specimens of the species were mainly found in dry open biotopes: semi-shrubby meadow, low-lying meadow, sheep-grazed wet heath, dry heath etc. (Logunov,

2000; Vogels 2012). Both specimens were found on sphagnum of the wet bog and in the shaded pine-birch forest. Although the species habitat is vast, the finds of *S. lae* specimens are rare and small in numbers (Logunov, 2000; Vogels, 2012). In Belgium, Germany and Netherlands *S. lae* was characterized as a rare species (Vogels, 2012).

Sibianor tantulus (Simon, 1868)

Material. 1 ♂, 1 ♀, Chernyiv Area, Novgorod-Siverskyi Town, 52°00'27" N, 33°17'57" E, on the sloping right bank of the Desna River, pitfall, 5.06.1989 (Evtushenko).

Salticid species *S. tantulus* has a Trans-Palearctic temperate range; from France, through C. Europe, the middle Urals and C. Siberia, east to Magadan Area, south to Tuva and C. Mongolia (Logunov, 2000). In N. Osetiya *S. tantulus* specimens habitats are in steppe and young oak forests and steppe meadows (Logunov, 2000). Our specimens were collected in dry birch forest with meadow grasses. As in case of *S. lae*, distribution of *S. tantulus* is very wide but its finds in Palearctic are small in numbers (Logunov, 2000).

In the fauna of Ukraine *S. lae* and *S. tantulus* can be characterized as very rare species, therefore further research is needed for their finding and protection. I support Joost Vogels' (2012) recommendation for arachnologists to verify their own and/or museum collections for clarification of *S. aurocinctus*, *S. lae* and *S. tantulus* distribution.

References

- Almqvist, S. Swedish Araneae, part 2. Families Dictynidae to Salticida // *Insect Syst. Evol.* — Suppl. — 2006. — 63. — P. 285–601.
- Evtushenko, K. V. Species composition and biotopical distribution of spiders (Aranei) in the Chernigovskoe Polesye / Institut zoologii AN USSR. — Kiev, 1991. — 19 p. — Dep. VINITI 04.06.1991, N 2339–B1. — Russian : *Евтушенко К. В. Видовой состав и биотопическое распределение пауков (Aranei) Черниговского Полесья.*
- Evtushenko, K. V. To the study of spiders (Aranei) of the Novgorod-Severskoe Polesye // Institut zoologii AN Ukraine. — Kiev, 1992 a. — 13 p. — Dep. VINITI 06.01.1993. — N 26–B93. — Russian : *Евтушенко К. В. К изучению пауков (Aranei) Новгород-Северского Полесья.*
- Evtushenko, K. V. To the study of spiders (Aranei) of the Volynskoe Polesye // Institut zoologii AS Ukraine. — Kiev, 1992 b. — 13 p. — Dep. VINITI 06.01.1993. — N 27–B93. — Russian : *Евтушенко К. В. К изучению пауков Волынского Полесья.*
- Evtushenko, K. V. Spiders (Aranei) of the Shacky National Nature Park // Shacky National Park. Sci. res. 1983–1993. — Kovel : Svityaz, 1993 (1996). — P. 221–235. — Ukrainian : *Євтушенко К. В. Павуки (Aranei) Шацького національного природного парку.*
- Evtushenko, K. V. Community Structure of Spiders (Aranei) of Ground Tier of Four Shatsky National Nature Park Typical Biotopes // *Pryroda Zahidnogo Polissya ta pryleglyh terytoriy : Zb. Nauk. Pr.* — 2013. — N 10. — P. 124–130. — Ukrainian : *Євтушенко К. В. Структура угруповань павуків (Aranei) пригрунтового ярусу чотирьох типових біотопів Шацького національного природного парку // Природа Західного Полісся та прилеглих територій.*
- Logunov, D. V. A redefinition of the genera Bianor Peckham & Peckham, 1885 and Harmochirus Simon, 1885, with the establishment of a new genus Sibianor gen. n. (Aranei: Salticidae) // *Arthropoda Selecta.* — 2000. — N 4. — P. 221–286.
- Mikhailov, K. G. The spiders (Arachnida: Aranei) of Russia and adjacent countries: a non-annotated checklist // *Arthropoda Selecta.* — 2013. — Suppl. N 3. — 262 p.
- Platnick, N. I. The world spider catalog, version 15. American Museum of Natural History. — 2014. — <http://research.amnh.org/iz/spiders/catalog/INTRO3.html>
- Polchaninova, N. Yu., Prokopenko E. V. Catalogue of the spiders (Arachnida, Aranei) of Left-Bank Ukraine // *Arthropoda Selecta.* — 2013. — Suppl. N 2. — 268 p.
- Staudt, A. Nachweiskarten der Spinnen tiere Deutschlands (Arachnida: Araneae Opiliones, Pseudoscorpiones). Arachnologische Gesellschaft. — 2011. — <http://www.spiderling.de/arages/index2.htm>
- Keer van, K., Oger, P., Maingot, M. First record of Sibianor lae Logunov 2001 (Araneae: Salticidae) for Belgium // *Nieuwsbrief Belgische Arachnologische Vereniging.* — 2010. — 25, N 1. — P. 46–49.
- Vogels, J. First record of the salticid spider Sibianor lae (Araneae: Salticidae) in the Netherlands // *Ent. Berichten.* — 2012. — 72. — P. 254–258.

Received 28 August 2014

Accepted 24 September 2014